INDEX TO VOLUME 38

The asterisk (*) preceding the page number indicates an original article in the Archives. Subject entries are made for all articles. Author entries are made for original articles and society transactions. Book Reviews, Obituaries and Society Transactions are indexed under these headings in their alphabetical order under the letters B, O and S, respectively.

Abnormalities and Deformities: See under names of diseases, organs and regions, as Atrophy; Ectodermal defect; Forearm, abnormalities; Skin, abnormalities; etc.

Abou-Laghif: See Syphilis

Abramowitz, E. W.: Erythema annulare centrifugum (Darier), case for diagnosis, 111
  Tinea barbae, case for diagnosis, 661
  Xanthomatosis (generalized); hepatomegaly associated with jaundice; tertiary syphilis, 468

Abscess: See also under names of organs and regions
  multiple draining periurethral sinuses, case for diagnosis, 648
  tuberculous, 799

Acanthosis nigricans or papillomatose réticulée (Gougerot), 666

Acetarsone, fixed eruption due to, 467
  Therapy: See Amebiasis; Syphilis

Acetyl-Beta-Methylcholine: See Choline and Choline Derivatives

Acid, Acetylsalicylic: See Salicyl Compounds
  Arachidonic: See Blood, fatty acids
  Ascorbic: See Vitamins, C
  Fatty: See Blood, fatty acids
  Linolic: See Blood, fatty acids
  Tannic: See Burns; Tannin

Acne; acneform iododerma (iodized salt), 966
  agminata; acne on seborrheic background (acnitis?), 987
  agminata; acnitis, 1007
  diagnostic and therapeutic use of tuberculin in certain acneform eruptions, *737
  gonadotropic substance in treatment of, 441
  rosacea, recurrent dermatitis of face and hands, light sensitivity or pellagrinous dermatitis, 994
  rosacea; rosacea keratitis, 135
  urticata polycythaemica, 145
  varioliformis, successfully treated with staphylococcus toxoid, 122
  vulgaris, "acne mixed" undenatured bacterial antigen in treatment of, *405
  with hematomas, case for diagnosis, 89

Acnitis: See Acne, agminata

Acrodermatitis chronica atrophicans, 650, 991

Acrodynia, racial incidence of, 253

Acromegaly, case of xanthoma diabeticorum associated with diabetes mellitus and acromegaly, 782

Actinomycosis, 139
  thymol therapy in, 254

Addison's Disease or chloasma, 289
  transplantation of adrenal tissue in, 638

Adenitis: See Lymph Nodes

Adenoma, adrenal cortical adenoma with absence of opposite adrenal, 79
  Cushing's syndrome (basophilic adenoma of pituitary gland), 490
  Cushing's syndrome (early), 491
  multiple benign cystic epithelioma or adenoma sebaceum in mother and daughter, 2 cases for diagnosis, 986

Adenoma—Continued
  sebaceum, 100
  sebaceum and its role in neurocutaneous syndrome; tuberous sclerosis and its relationship to Recklinghausen's disease, 964
  sebaceum in epileptic moron, 147
  sebaceum (Pringle type), associated with Recklinghausen's disease, 669

Adipose Tissue: See Fat

Adrenals, adrenal cortical adenoma with absence of opposite adrenal, 79
  cutaneous dystrophy and obesity of adrenal origin, 256
  hirsutism, 260
  transplantation of adrenal tissue in Addison's disease, 638

Agranulocytosis: See Angina, agranulocytic

Ainhum, case of inherited ainhum-like hyperkeratosis, *26

Albinism: See also Vitiligo
  complete, 130

Albuminuria in association with scabies; review of literature and report of urinalyses in 216 cases, *19

Alderson, H. E.: Multiple hypertrophic scars in child 4 years old, 502
  Panniculitis, case for diagnosis, 493

Allergy: See Anaphylaxis and Allergy

Allington, H. V.: Alopecia areata, 137
  Yellowish red scaling areas of ankle, case for diagnosis, 1003

Alopecia areata, 137
  cicatrisata; lupus erythematosus or pseudopelade of Brocq, 508
  cicatrisata; pseudopelade of Brocq, case for diagnosis, 506
  loss of hair as symptom of masculinization in woman, 444
  traumatic, 443
  universalis and leukoderma acquisitum centrifugum, 263

Amebiasis, flaccid paralysis following treatment of amebic dysentery with acetarsone, 257

Amyotrophy: See Atrophy, muscular

Anaphylaxis and Allergy: See also Milk, allergy; and under names of various diseases, as Asthma; Eczema; Rhus; etc.
  calcium ion concentration of serum in allergic diseases, 781
  citrus fruit dermatoses, *225
  contact and environmental allergens as cause of eczema in infants and in children, *511
  device for "continuous" patch tests, *619
  inheritance of allergic disease, 255
  routine patch tests, *951
  susceptibility of allergic and nonallergic persons to rhus toxicodendron, *773
  urticaria; new immunologic wheal produced experimentally by reverse technic, *1

Anderson, H. F.: Fulminating acute lupus erythematosus cured by sulfanilamide, *621

Anderson, N. P.: Dermatophytosis (hands, feet and toe nails) due to Trichophyton purpureum, 646
  Keloid, case for diagnosis, 644

Anderson, S.: Lupus vulgaris (hypertrophic), 644

Andrews, G. C.: Multiple idiopathic hemorrhagic sarcoma of Kaposi, 452
  Nonpigmented melanoma, 656

Androgens, excretion of androgenic and estrogenic substances in urine of children, 784
treatment of sexual underdevelopment with synthetic male hormone substance, 638
Anemia, ulcers of leg, associated with sickle cell anemia, in sisters, 1006
Angina, agranulocytic; experimental investigation of agranulocytosis due to arsphenamine, 85
Vincent's; scleredema adultorum (Buschke) with involvement of muscles in 11 year old boy, 634
Angiokeratoma, 157, 455
Angioma, cavernous, of feet, 99, 803
of cheek, 972
Angiosarcoma of hand and arm, 659
Anhidrosis: See Sweat Glands
Ankle, yellowish red scaling areas of ankle, case for diagnosis, 1003
Anuria: See Urine, suppression
Anus: See also Rectum
Paget-like disease of circumanal skin and carcinoma of rectum, 811
Aortic Valve, staphylococcic endocarditis superimposed on syphilitic aortic endocarditis, 785
Aortitis, studies in cardiovascular syphilis; effect of occupation on incidence and type of syphilitic aortitis, 782
studies in cardiovascular syphilis; incidence of syphilitic aortitis, 636
studies in syphilitic cardiovascular disease; uncomplicated syphilitic aortitis; asymptomatic condition, 438
Apparatus, active sweat glands; method for their study, *340
Argyria: See under Silver
Arnold, E.: Lymphogranuloma venereum especially its treatment with sulfanilamide, *705
Arnold, H. L., Jr.: Scleredema adultorum (Buschke), *210
Arsenic and Arsenic Compounds: See also Acetarsone; Arsphenamines; Tryparsamide
arsenical dermatitis produced in treatment of trichomonas vaginitis; report of 5 cases, *198
arsenical lichen planus-like dermatitis, 968
dermatitis herpetiformis; arsenical keratosis, 264
flaccid paralysis following treatment of amebic dysentery with acetarsone, 257
lichenoid arsenical dermatitis, 472
linear eruption resembling lichen planus in syphilitic patient with arsenical dermatitis, 659
nitritoid reaction following injection of tryparsamide, *949
postarsphenamine jaundice, 636
Arsphenamines: See also under Syphilis
atrophy and postarsphenamine dermatitis, 822
Castelli's dissertation on biologic test of arsphenamine preparations, 84
dermatitis medicamentosa (arsphenamine) in patient under treatment for syphilis, 104
dermatitis medicamentosa (neoarsphenamine) of lichenoid type, 114
electrolytes of blood and urine of dogs with acute hepatic injury produced by, 635
experimental dermatitis; influence of vitamin C in production of arsphenamine sensitiveness, 254
experimental investigation of agranulocytosis due to, 85
fixed eruption following injection of neoarsphenamine, 499
fixed eruption in patient sensitive to arsphenamine and phenolphthalein in different areas, 474
influence of arsphenamine and syphilis on function of reticuloendothelial system and liver; influence of arsphenamine on function of liver, 85
Arsphenamines—Continued
medical shock following intravenous therapy with neoarsphenamine, 782
pigmentation following treatment with arsphenamine and bismuth or erythrose péribuccale pigmentaire de Brocq, 670
postarsphenamine exfoliative dermatitis; etiology, complications and treatment, 80
Aschoff-Klinge Nodule: See Rheumatic Fever
Asthma: See also Anaphylaxis and Allergy
and atopic eczema with bilateral cataract, 130
psychologic factors in asthma-prurigo, 959
Astrachan, G. D.: Mapharsen in treatment of congenital syphilis, *943
Nitritoid reaction following injection of tryparsamide, *949
Atrophoderma: See Atrophy
Atrophy: See also Acrodermatitis chronica atrophicans; Poikiloderma atrophicans vasculare; and under names of organs and regions
and postarsphenamine dermatitis, 822
Bowen's disease in association with radium-induced atrophy of skin, 88
macular (Schwenninger-Buzzi type), 116, 117, 467
macular, secondary to syphilis, 467, 504
macular, with hyperpigmentation (superficial scleroderma?), 832
muscular; amyotrophia syphilitica with subcutaneous fibroid nodules, 133
Avitaminoses: See under Vitamins
Ayres, S., Jr.: Acquired progressive kinking of scalp hair with changes in its pigmentation, 648
Blue nevus (face); "mongolian spots" (sacrum), 483
Localized argyria following treatment of burn with tannic acid and silver nitrate, 645

BCG: See under Tuberculosis
Bacteria: See Staphylococci; Streptococci; Viruses; etc.
Bacterid, pustular (Andrews), 664
Baldness: See Alopecia
Bancroft, I. R.: Syphilis or mycosis fungoides, 647
Barker, L. P.: Angiokeratoma, 455
Barney, R. E.: Lupus vulgaris, 791
Bazin's Disease: See Erythema induratum
Bechet, P. E.: Acneform iododerma (iodized salt), 966
Disseminate multiple epitheliomatosis of skin with possible prickle cell changes in 1 of lesions, 91
Linear eruption resembling lichen planus in syphilitic patient with arsenical dermatitis, 659
Lupus erythematosus discoides with spread of lesions after ultraviolet irradiation, 114
Lupus erythematosus of scalp simulating burn with acid, 971
Psoriasis or pityriasis rubra pilaris, 92
Severe ichthyosis in Negro, 663
Tuberculous abscesses, 799
Becker, S. W.: Erythema palmare as part of generalized telangiectasis during pregnancy, 836
Herpes zoster, 835
Macular atrophy with hyperpigmentation (superficial scleroderma?), 832
Beerman, H.: Citrus fruit dermatoses, *225
Behn, C. W.: Calcinosis circumscripta, 307
Case for diagnosis, 294, 295, 309, 321
Tuberculosis, case for diagnosis, 293
Bejel: See Syphilis
Belote, G. H.: Necrobiosis without diabetes, 311
Scleredema adultorum (Buschke), 305
Benedek, T.: Granuloma annulare, 280

Berberian, D. A.: Dermatophytosis of feet; sources and methods of prevention of reinfection, *367
Mycologic technic for study of anascosporous yeastlike fungi, *526
Berkoff, H. S.: Contact dermatitis from "horn-rimmed" spectacles; report of case, *746
Berkovsky, M.: Complete albinism, 130
Bernstein, J. C.: Mycosis fungoides, case for diagnosis, 143
Besancon, J. H.: Calcinosis circumscripta, 307
Case for diagnosis, 294, 295, 309
Leiomyoma cutis, 324
Lupus erythematosus, 319
Tuberculosis, case for diagnosis, 293
Besnier-Boeck's Disease: See Sarcoid
Binkley, G. W.: Mouse brain lymphogranuloma venereum antigen; clinical experience at Cleveland City Hospital, *383
Ocular pemphigus or essential shrinkage of conjunctiva, 135
Rosacea keratitis, 135
Biopsy, value and limitations in dermatology, *329
Bismuth and Bismuth Compounds, clinical excretion of bismuth; fecal and total excretion, 439
clinical excretion of bismuth; late excretion of bismuth after cessation of treatment, 440
clinical excretion of bismuth; urinary excretion of bismuth after clinical intramuscular injections of sodium iodobismuthite (sodium bismuth iodide, iodobismitol) and sodium bismuth thioglycollate (thiobismol), 439
in Urine: See under Urine
pigmentation following treatment with arsphenamine and bismuth or erythrose péribuccale pigmentaire de Brocq, 670
suggested specifications for bismuth subsalicylate in oil, 957
Therapy: See under names of various diseases, i. e., Lupus erythematosus; Syphilis; etc.
toxic effects of bismuth with reference to renal damage and report of case of anuria, 957
Blastomycosis, 500. See also Coccidioides; Moniliasis; Torula
chromoblastomycosis caused by fungus of genus Hormodendron, *12
coccidioidal granuloma and paracoccidioidal granuloma; comparative study of North American, South American and European organisms and clinical types, *163
Blatt, M. L.: Dermatitis gangraenosa infantum, *407
Blindness, syphilis in relation to prevention of; study of 100,000 case records, 638
Blood, calcium ion concentration of serum in allergic diseases, 781
cholesterol; hypercholesteremic splenomegaly with xanthomatosis and dermatitis herpetiformis, 145
cholesterol in syphilis, 635
Diseases: See Anemia; Leukemia; etc.
electrolytes of blood and urine of dogs with acute hepatic injury produced by arsphenamine, 635
fatty acids; arachidonic and linolic acid of serum in normal and eczematous human subjects, 254
lipase and eczema, 444
pepsin of serum in experimental dermatitis, 643
sedimentation; contribution to knowledge of lymphogranuloma venereum; erythrocyte sedimentation test, 963
Bloom, D.: Arsenoresistant psoriasiform syphilid, 653
Epidermolysis bullosa hereditaria, 472
Glomus tumor, case for diagnosis, 108
Bloom, D.—Continued
Kaposi's sarcoma, case for diagnosis, 472
Lupus erythematosus of conjunctiva, 671
Lupus erythematosus treated by general radiologist, 114
Mycosis fungoides, case for diagnosis, 124
Pustular psoriasis, 664
Scleroderma and hypertrichosis in child, 473
Blumenthal, F.: Bourneville-Pringle's disease, 314
Bourneville-Pringle's disease in patient whose right eye was enucleated because of intraocular tumor, 813
Bowen's dermatosis and multiple basal cell epithelioma, 807
Case for diagnosis, 805
Disseminate tuberculosis of face (mixed type), 810
Disseminated hematogenous tuberculosis of lupus tumidus type, 292
Granulomatous inflammation of palate, case for diagnosis, 804
Grouped nodular tuberculids (Jadassohn), 293
Lymphedema of eyelids; recurrent erysipelas; congenital syphilis, 814
Lymphedema of upper lip, 814
Naevus anaemicus, 813
Paget-like disease of circumanal skin and carcinoma of rectum, 811
Pityriasis rubra pilaris, 809
Poikiloderma with calcinosis universalis due to dermatomyositis progressiva, 307
Psoriasis guttata of skin and oral mucosa, 808
Psoriasis of oral mucosa; pigmented psoriasis, 808
Seronegative tertiary syphilis or lupus vulgaris, 806
Syringocystadenoma multiplex, 809
Tinea amiantacea, 807
Boeck's Sarcoid: See Sarcoid
Bones, Recklinghausen's disease with nevi, deformity of bone and tumefaction of soft tissue, 672
sarcoidosis (Besnier-Boeck-Schaumann syndrome) involving skin, lymph nodes, bones and tendon sheaths, 457
syphilis; syphilitic osteitis, 2 cases, 86
Book Reviews:
Advances in Therapeutics of Antimony; H. Schmidt and F. M. Peter with preface by P. Manson-Bahr, 1015
Approved Laboratory Technic; J. A. Kolmer and F. Boerner, 162
Chaulmoograöl; H. Schlossberger, 674
Diseases of Skin; G. C. Andrews, 1014
Grundriss der Geschlechtskrankheiten; K. Zieler, revised by G. Birnbaum, 1014
Manual of Cosmetics; C. Lázár, 162
Bordet-Wassermann Reaction: See under Syphilis
Bouillaud's Disease: See Rheumatic Fever
Bourneville-Pringle's Disease: See Sclerosis, tuberous
Bouton, S. M., Jr.: Serologic paradox in juvenile dementia paralytica; report of case, *595
Bowen's Disease: See Cancer, precancer
Brain: See also Nervous System
Syphilis: See under Syphilis
torula infection of central nervous system, 79
Bregman, A.: Treatment of erythema multiforme exsudativum with sulfanilamide; report of case, *623
Brocq's Disease: See Alopecia cicatrisata
Bromide and Bromine; bromoderma, 278
Bromoderma: See Bromide and Bromine
Brown, E.: Argyria under treatment, 276
Brown, M.: Mycosis fungoides; syphilis, 995
Buley, H. M.: Active sweat glands; method for their study, *340

Burns, compound solution of tannic acid, 81
localized argyria following treatment of burn with tannic acid and silver nitrate, 645
lupus erythematosus of scalp simulating burn with acid, 971

Buschke's Disease: See Scleroderma

Butterworth, T.: Adenoma sebaceum in epileptic moron, 147
Darier's disease, 147
Incidence of diseases of skin in feebleminded persons, *203
Osteoma cutis, case for diagnosis, 983

Calcification: See also Ear, calcification
calcified syringoma, 259
calcinosis circumscripta, 307
calcinosis cutis, 828
calcinosis universalis, 260
in scar tissue, 267
poikiloderma with calcinosis universalis due to dermatomyositis progressiva, 307
scleroderma with calcinosis (Thibierge-Weissenbach syndrome), 440

Calcinosis: See Calcification

Calcium in Blood: See under Blood

Callaway, J. L.: Citrus fruit dermatoses, *225

Cameron, O. J.: Juvenile pemphigus; effects of germanin in 3 cases, *555

Cancer: See also Sarcoma; Tumors; and under names of organs and regions, as Anus; Lips; Pancreas; Scrotum; etc.
and human races, 78
and skin irritation in U. S. Navy, 635
cells; further observations on macronucleolus of cancer, 781
close roentgen radiation with Chaoul tube in cutaneous carcinoma and chancroid, 83
cutaneous, treatment with concentrated fractional near irradiation, according to method of Chaoul, 444
intrinsic factors in etiology of neoplasms, 634
metastases in squamous-cell carcinoma, 78
precancer; Bowen's dermatosis and multiple basal cell epithelioma, 807
precancer; Bowen's disease in association with radium-induced atrophy of skin, 88
precancer; Bowen's disease with metastases (epithelioma of Bowen), *191
precancer; production of epithelial tumors by irradiation of precancerous skin lesion, 438
theory of developmental physiology of malignant tumors, 781

Cañizares, O.: Evaluation of Frei test mouse brain antigen; comparison with human antigen, *930

Cannon, A. B.: Acne with hematomas, case for diagnosis, 89
Atrophy; postarsphenamine dermatitis, 822
Chancre of lip resembling epithelioma, 817
Granuloma inguinale, 826
Gumma (right leg) with secondary infection, 93
Keratosis follicularis (Darier's disease), 824
Leprosy, 825
Lichen scrofulosorum and sarcoid, 91
Lupus vulgaris, 818
Pemphigus foliaceus, 825
Pemphigus or iododerma, 821
Sarcoid or leprosy, 820
Tuberculous cervical adenitis; erythema nodosum, 823

Cantharides, investigation on resorption of substances by skin and mucous membranes, 962

Capillaries: See also Skin, blood supply
changes in blood vessels (capillary fragility) with inflammation, 786
tuberculosis of skin or capillaritis, 1009

Carcinoma: See Cancer

Cardiovascular Diseases, cooperative clinical studies in treatment of syphilis; effect of specific therapy on prophylaxis and progress of cardiovascular syphilis, 254

Cardiovascular Diseases—Continued
studies in cardiovascular syphilis; influence of treatment of early syphilis on incidence of cardiovascular syphilis, 956
syphilis, 785
syphilis, early diagnosis, 958
syphilis, mapharsen in treatment, 958

Caro, M. R.: Calcinosis cutis, 828
Multiple idiopathic hemorrhagic sarcoma (Kaposi), 277

Carotene, seborrheic keratoses (carotenoid pigmentation?), 123

Caseinogen: See Milk, allergy

Cataract and neurodermatitis disseminata, 323
atopic eczema and asthma with bilateral cataract, 130

Cells, further observations on macronucleolus of cancer, 781

Cerebrospinal Fluid, question of positive fluid in first year of syphilitic infection; incidence, prognosis and therapy, 257

Chambers, S. O.: Clinical application of stain for spirochetes (Krajian), *217
Lupus vulgaris (hypertrophic), 644

Chancre of lip resembling epithelioma, 817
or chancroid, 453
Soft: See Chancroid
tuberculous, 646

Chancroid; chancre? 453
chancroidal ulcer of long duration cured with sulfanilamide, 660
close roentgen radiation with Chaoul tube in cutaneous carcinoma and chancroid, 83
cured with sulfanilamide, 509
cured with sulfanilamide; lymphogranuloma venereum; syphilis, 476
diagnosis; use of Ducrey vaccine in diagnosis, 956
lymphogranuloma venereum and syphilis, 130
phagedenic, case for diagnosis, 660

Charache, H.: Squamous cell epithelioma in psoriatic patches, *241, 780

Chargin, L.: Adenoma sebaceum (Pringle type), associated with Recklinghausen's disease, 669
Chancroid, cured with sulfanilamide; lymphogranuloma venereum; syphilis, 476
Erythrasma (generalized), 819
Fixed eruption due to acetarsone, 467
Fixed eruption in patient sensitive to arsphenamine and phenolphthalein in different areas, 474
Macular atrophy secondary to syphilis? 467
Multiple basal cell epithelioma, part of 1 lesion changing to fungating tumor, 824
Syringocystoma, 455

Cheek, angioma of, 972
large epithelioma of cheek; report of case, *902

Cheilitis: See under Lips

Chickenpox, mechanism of herpes zoster and its relation to, 82
varicella gangrenosa due to Streptococcus pyogenes, 442

Chloasma: See Pigmentation, cutaneous

Cholesterol in Blood: See Blood, cholesterol

Choline and Choline Derivatives, human autonomic pharmacology; general and local sweating produced by acetyl-beta-methylcholine chloride (mecholyl), 438

Christian-Schüller Syndrome: See Schüller-Christian Syndrome

Christian-Weber's Disease: See Panniculitis

Chromoblastomycosis: See Blastomycosis

Cicatrix, calcification in scar tissue, 267
extensive xanthoma tuberosum in childhood due to infectious cirrhosis of liver, 253
multiple hypertrophic scars in child 4 years old, 502
nevi or atrophic scar, 140

Cipollaro, A. C.: Granuloma annulare, 110
Lichen planus or lupus erythematosus, 111
Parapsoriasis with beginning mycosis fungoides, 656

Clarke, J. A., Jr.: Susceptibility of allergic and nonallergic persons to rhus toxicodendron, *773

Cobane, J. H.: Acute lupus erythematosus, 320
Calcinosis circumscripta, 307
Case for diagnosis, 294, 295, 309
Tuberculosis, case for diagnosis, 293

Coccidioides, blastomycosis, coccidioidal granuloma and paracoccidioidal granuloma: comparative study of North American, South American and European organisms and clinical types, *163
coccidioidal granuloma, 484, 499
prognostic significance of cutaneous lesions in coccidioidal granuloma, *752

Cold, urticaria provoked by heat or by psychic stimuli, *679

Cole, H. N.: Giant cell tumor of epulis type, case for diagnosis, 794
Tabes dorsalis; cooperative clinical studies in treatment of syphilis, *692

Cole, L. R.: Survey of syphilis among students at University of Wisconsin, *70

Colitis, gangrenous pyoderma accompanied with hemorrhagic colitis, 478
pyogenic lesions of skin associated with chronic ulcerative colitis, 829

Combes, F. C.: Cavernous angioma of feet, 99, 803
Erythroplasia of Queyrat, case for diagnosis, 802
Multiple neuromas, case for diagnosis, 102
Parapsoriasis en plaques, case for diagnosis, 798
Perichondritis nodularis chronica or epithelioma, 87
Report on case of probable pemphigus vulgaris, 803
Sclerodactylia following injury, 976

Congress: See under Societies

Conjunctiva, argyria confined to bulbar conjunctivas, 654
argyria, lupus erythematosus of scalp and essential shriveling of conjunctiva (ocular pemphigus) with involvement of all mucous membranes, 151
discoid lupus erythematosus involving palpebral conjunctiva, 287
essential shriveling of conjunctiva (ocular pemphigus); pemphigus of mucous membranes, 988
lupus erythematosus of, 671
ocular changes in Besnier-Boeck's disease, further contributions, 83
ocular pemphigus or essential shrinkage of conjunctiva, 135
pemphigus of conjunctivas and of mucous membranes of mouth and genitalia, 133

Conjunctivitis, syphilitic, 257

Cooper, G. A.: Cutaneous horn in Negro, 1007
Mycosis fungoides, case for diagnosis, 793
Tertiary syphilis with unusually extensive involvement, 1011

Cormia, F. E.: Syphilitic onychia; report of case in which ungual changes helped to establish diagnosis and time of syphilitic infection, *432

Cornbleet, T.: Hodgkin's disease with generalized pruritus, 832
Kaposi's sarcoma, 827
Pruritus (generalized); enlarged prostate; urinary retention, 282
Tertiary syphilis (extensive), 279
Tuberculosis cutis (scrofuloderma, sarcoid and lichen scrofulosorum), 272

Cornea, Inflammation: See Keratitis

Cornell, V. A.: Mapharsen in treatment of congenital syphilis, *943

Corson, E F.: Favus (familial infection), 144
Trichostasis spinulosa, *363

Cosmetics: See also Lipstick
cosmetic irritants, *906

Costello, M. J.: "Acne mixed" undenatured bacterial antigen in treatment of acne vulgarus, *405
Argyria confined to bulbar conjunctivas, 654
Herpes gestationis, 655
Koilonychia, 113
Pityriasis rosea sparing tanned areas of skin (bathing trunk distribution), *75
Pyogenic ulceration of nose, case for diagnosis, 106

Cotton Industry, study of fatal cases of cancer of scrotum from 1911 to 1935 in relation to occupation with reference to chimney sweeping and cotton mule spinning, 781

Crawford, G. M.: Psoriasis of nails, *583

Cross, F. E.: Prurigo nodularis, case for diagnosis, 127

Cummins, L. J.: Relapsing febrile nodular nonsuppurative panniculitis (Weber-Christian disease); report of 2 cases, *415

Curtis, G. H.: Acnitis, 1007
Sarcoid; case for diagnosis, 1008
Sporotrichosis (disseminated subcutaneous type), 131

Cushing Syndrome: See under Pituitary Body

Cutis Elastica: See under Skin
Hyperelastica: See under Skin
Laxa: See Skin, abnormalities

Cysticercus; luetic pseudo-cysticercosis, 641

Cysts: See under Mucous Membrane; Sebaceous Glands; etc.

Darier, Jean, 625

Darier's Disease: See Keratosis follicularis

Davis, M. I.: Zosteriform lichen planus, *615

Death, cause in tularemia, 79

Decker, H. B.: Hypercholesteremic splenomegaly with xanthomatosis and dermatitis herpetiformis, 145
Susceptibility of allergic and nonallergic persons to rhus toxicodendron, *773

Deficiency Diseases: See also Vitamins
vitamin deficiency diseases; their diagnosis and treatment, 441

Dementia Paralytica, juvenile, serologic paradox in; report of case, *595
spinal fluid reaction in general paresis as modified by combination of therapeutic malaria and tryparsamide, 636

Depigmentation: See Pigmentation

Dermatitis: See also Acrodermatitis; Neurodermatitis; etc.
Acneform: See Acne
and stomatitis from mercury of amalgam fillings, *349
arsenical lichen planus-like dermatitis, 968
arsenical, produced in treatment of trichomonas vaginitis; report of 5 cases, *198
Arsphenamine: See Arsphenamines
Atopic: See Neurodermatitis
Atrophicans: See Atrophy
caused by Mexican rubber plant, *780
citrus fruit dermatoses, *225
cosmetic irritants, *906
Eczematous: See Eczema
exfoliativa in case of untreated psoriasis, 121
exfoliativa; poisoning from cutaneous application of iodine, 637
exfoliative (gold?) and vitiligo, 264
experimental, pepsin of serum in, 643
factitia or prurigo, 126
Gangraenosa Infantum: See Skin, gangrene
Herpetiformis: See Dermatitis multiformis
intertriginous (moniliasis?), 990
lichenoid arsenical dermatitis, 472

Dermatitis—Continued
linear eruption resembling lichen planus in syphilitic patient with arsenical dermatitis, 659
linear, from contact with jellyfish, 106
Medicamentosa: See also under Drugs; and under names of drugs, as Acetarsone; Arsenic and Arsenic Compounds; Arsphenamines; Bismuth and Bismuth Compounds; Gold and Gold Compounds; Phenolphthalein; Silver; Tryparsamide; etc.
medicamentosa due to injections of liver, 462
multiformis; dermatitis herpetiformis, 488, 672, 673, 985
multiformis; dermatitis herpetiformis and cancer of pancreas, 974
multiformis; dermatitis herpetiformis; arsenical keratosis, 264
multiformis; hypercholesteremic splenomegaly with xanthomatosis and dermatitis herpetiformis, 145
multiformis; report on case of dermatitis herpetiformis, 803
Occupational: See also under Industrial Diseases; and under names of various diseases and substances
occupational; industrial dermatitis and Workmen's Compensation Act, 640
occurrence in humans of contagious pustular dermatitis of sheep ("orf"), 788
pigmented purpuric lichenoid dermatitis (Gougerot), 506
postarsphenamine exfoliative dermatitis; etiology, complications and treatment, 80
Roentgen Ray: See under Roentgen Rays
rosacea, recurrent dermatitis of face and hands, light sensitivity or pellagrinous dermatitis, 994
scrofuloderma or secondary radiodermatitis, 452
Seborrheic: See Seborrhea
Solar: See Light, toxicity
toxic, or pityriasis rosea, 126
Venenata: See also under Dyes; Gold and Gold Compounds; Leather; Petrolatum; Petroleum Products; etc.
venenata; contact dermatitis from "horn-rimmed" spectacles; report of case, *746
venenata, due to shoe leather and to shoe polish, *434
venenata; lipstick dermatitis with report of case due to eosin, 641
venenata or drug eruption, 118
Dermatofibrosarcoma protuberans (E. Hoffmann), 963
Dermatologic societies, directory of, 325, 675, 1017
Dermatomycosis: See Mycosis, cutaneous
Dermatomyositis progressiva, poikiloderma with calcinosis universalis due to, 307
Dermatophytosis: See Mycosis, cutaneous; Ringworm
Dermatoses: See Dermatitis; Eczema; Skin, diseases; etc.
Dermolipodystrophy, case of, 642
Diabetes Mellitus: See also Xanthoma diabeticorum
case of xanthoma diabeticorum associated with diabetes mellitus and acromegaly, 782
necrobiosis lipoidica diabeticorum, 268, 311
xanthoma tuberosum associated with trauma and mild diabetes mellitus, 81
Diathermy: See under names of various diseases
Dictamnus Albus: See under Plants
Dietrich, C.: Angiokeratoma, 157
Granulosis rubra nasi, 155
Nevus (abortive attempt at polydactylism?), 156
Directory of dermatologic societies, 325, 675, 1017
Dixon, H. A.: Melanotic sarcoma with extreme melanosis; report of case, *574
Doty, C. A.: Bourneville-Pringle's disease in patient whose right eye was enucleated because of intraocular tumor, 813
Bowen's dermatosis and multiple basal cell epithelioma, 807
Case for diagnosis, 805
Disseminate tuberculosis of face (mixed type), 810
Granulomatous inflammation of palate, case for diagnosis, 804
Lymphedema of eyelids; recurrent erysipelas; congenital syphilis, 814
Lymphedema of upper lip, 814
Naevus anaemicus, 813
Paget-like disease of circumanal skin and carcinoma of rectum, 811
Pityriasis rubra pilaris, 809
Psoriasis guttata of skin and oral mucosa, 808
Psoriasis of oral mucosa; pigmented psoriasis, 808
Seronegative tertiary syphilis or lupus vulgaris, 806
Syringocystadenoma multiplex, 809
Tinea amiantacea, 807
Drant, P.: Peripheral neuritis; trophic ulcer; calcification of ears, 987
Driver, J. R.: Giant cell tumor of epulis type, case for diagnosis, 794
Drugs, Eruptions: See also under names of drugs, as Acetarsone; Arsenic and Arsenic Compounds; Arsphenamines; Bismuth and Bismuth Compounds; Gold and Gold Compounds; Phenolphthalein; Silver; Tryparsamide; etc.
eruptions, or dermatitis venenata, 118
fixed eruption, case for diagnosis, 289
Ducrey Vaccine: See Chancroid, diagnosis
Duhring's Disease: See Dermatitis multiformis
Durand-Nicolas-Favre's Disease: See Lymphogranuloma Venereum
Dyes: See also Stains and Staining
contact eczema from dyed clothing, 440
dermatitis due to shoe leather and to shoe polish, *434
results of experimental investigation on cutaneous storage of, 445
subsurface mycelium and dyes; their significance in mycologic studies, *235
Dysentery, Amebic: See Amebiasis
Dystrophy, cutaneous, and obesity of adrenal origin, 256

Ear, calcification, peripheral neuritis and trophic ulcer, 987
external; perichondritis nodularis chronica or epithelioma, 87
Ebert, M. H.: Discoid lupus erythematosus involving palpebral conjunctiva, 287
Fixed eruption, case for diagnosis, 289
Lichen nitidus, case for diagnosis, 834
Lupus erythematosus disseminatus subacutus with phlyctenular keratoconjunctivitis, 831
Pemphigus, 273
Submucous hemorrhage of uvula with necrosis, following ingestion of acetylsalicylic acid, 288
Syphilioderm (late) resembling erythema annulare centrifugum, 279
Syringofibroangioma (originally presented as traumatic fibroangioma with localized hyperhidrosis), 833
Ulerythema acneiforme, 292
Ectodermal defect, congenital, hereditary ectodermal dysplasia of anhidrotic type, *893
Eczema, 112
and serum lipase, 444
and phagocytosis of leukocytes; influence of serum of subjects with dermatitis on phagocytosis of leukocytes in normal rabbits, 84
arachidonic and linolic acid of serum in normal and eczematous human subjects, 254

Eczema—Continued
atopic, and asthma with bilateral cataract, 130
contact and environmental allergens as cause in infants and in children, *511
contact eczema from dyed clothing, 440
cutaneous, threshold of tolerance in, 257
dietetic treatment in infants and in children, 634
diffusum resembling mycosis fungoides, 652
experimental investigation of toxic substances in skin affected with dermatitis, 790
experimental investigation of toxic substances in skin affected with dermatitis; influence of extract of skin affected with dermatitis on histologic picture of liver, kidney and testis, 790
high fat feeding of eczematous infants, 960
relation between assimilation of water and dermatoses on basis of tests of water excretion in psoriasis, eczema and few other dermatoses (diuretic index), 258
results of treatment in infants with BCG, 442
Seborrheic: See Seborrhea

Edema: See Elephantiasis; and under names of organs, as Vulva; etc.

Electrocoagulation: See under names of various diseases

Electrolytes: See under Blood; Urine

Electropyrexia: See under Syphilis

Elephantiasis: See also Lymphogranuloma Venereum
lymphedema of eyelids, recurrent erysipelas and congenital syphilis, 814
lymphedema of upper lip, 814

Ellis, F. A.: Is lichen nitidus a variety of lichen planus? *569

Emotions, psychologic aspects of skin diseases, 959

Endocarditis, staphylococcic, superimposed on syphilitic aortic endocarditis, 785

Endothelioma, nevoxanthoendothelioma, case for diagnosis, 268

Eosin, lipstick dermatitis with report of case due to, 641

Epidermolysis bullosa, 319, 465
bullosa hereditaria, 472, 826

Epilepsy, adenoma sebaceum in epileptic moron, 147
syphilitic, 635

Epithelioma, Bowen's dermatosis and multiple basal cell epithelioma, 807
Bowen's disease with metastases (epithelioma of Bowen), *191
chancre of lip resembling epithelioma, 817
disseminate multiple epitheliomatosis of skin with possible prickle cell changes in 1 of lesions, 91
large, of cheek; report of case, *902
multiple, 977
multiple basal cell epithelioma, part of 1 lesion changing to fungating tumor, 824
multiple basal cell epitheliomatosis, 276
multiple benign cystic epithelioma or adenoma sebaceum in mother and daughter, 2 cases for diagnosis, 986
of lip or ulcerative tertiary syphilis [?] on right buccal mucosa with lingual and buccal leukoplakia, 670
of tongue, case for diagnosis, 290
or perichondritis nodularis chronica, 87
or tuberculosis cutis, 981
squamous cell, developing on sebaceous cyst, 791
squamous cell, in psoriatic patches, *241, 780
squamous cell, of buttock, 101
squamous cell, of left fourth finger; case report, 634

Epstein, E.: Hyperkeratotic papular eruption of forehead and cheeks, case for diagnosis, 998
Lupus pernio, 502
Prognostic significance of cutaneous lesions in coccidioidal granuloma, *752

Epstein, N. N.: Atrophia pilorum, 136
Lichen nitidus, 495
Parapsoriasis, 496

Epulis: See under Tumors

Eruptions: See under Arsphenamines; Drugs, eruptions; Skin, diseases; etc.

Erysipelas, clinical experience in treatment with prontosil, 962
erysipelas-like eruption complicating dermatophytosis, 80
recurrent erysipelas-like manifestations of legs; their relationship to fungous infections of feet, 80
recurrent, lymphedema of eyelids and congenital syphilis, 814

Erysipeloid of Rosenbach, 662

Erythema ab igne, case for diagnosis, 478
annular, and streptococcemia in course of Bouillaud's disease, 442
annulare centrifugum (Darier), case for diagnosis, 111
annulare centrifugum resembling late syphiloderm, 279
induratum, 271
induratum and cervical adenitis, 296
induratum, case for diagnosis, 997
multiforme exsudativum of Hebra, caseinogen as causative factor in etiology of, 788
multiforme exsudativum, treatment with sulfanilamide; report of case, *623
multiforme or pemphigus, 1005
nodosum, 479
nodosum, and tuberculous cervical adenitis, 823
nodosum as evidence of increased allergy to tuberculin; its appearance following tuberculin reactions, 442
nodosum, pathogenesis of, 256
palmare as part of generalized telangiectasis during pregnancy, 836
solare, 2 cases for diagnosis, 1010
symmetric, of soles; "symmetrical lividities of soles of feet" (Pernet), *881

Erythrasma, generalized, 819

Erythrocytes, Sedimentation: See Blood, sedimentation

Erythroderma, with stiffness and induration of deeper tissues, case for diagnosis, 1001

Erythromelalgia, report of case of its association with chronic gout with relief of symptoms for 2 years after intravenous administration of typhoid vaccine, *73

Erythroplasia: See Penis

Erythrose péribuccale pigmentaire de Brocq or pigmentation following treatment with arsphenamine and bismuth, 670

Esophagus, progressive scleroderma associated with stricture of esophagus and rectum; improvement after cervical sympathectomy, 975

Esthiomene: See Lymphogranuloma Venereum

Estrogens, excretion of androgenic and estrogenic substances in urine of children, 784

Extremities, paralysis; flaccid paralysis following treatment of amebic dysentery with acetarsone, 257

Eyelids, lymphedema of, recurrent erysipelas and congenital syphilis, 814
Paget's disease associated with carcinoma, 83

Eyes, Bourneville-Pringle's disease in patient whose right eye was enucleated because of intraocular tumor, 813
ocular pemphigus or essential shrinkage of conjunctiva, 135

Face, blue nevus; "mongolian spots" (sacrum), 483
disseminate tuberculosis of face (mixed type), 810
infections of dangerous areas of, 79

Fat: See also Lipoids
recurrent furunculoid lesions of adipose tissue, case for diagnosis, 153
Favotrichophyton album var. singulare, sycosis parasitica due to, *756
Favre-Nicolas' Disease: See Lymphogranuloma Venereum
Favus: See Tinea favosa
Feces, clinical excretion of bismuth; fecal and total excretion, 439
clinical excretion of bismuth; late excretion of bismuth after cessation of treatment, 440
Feeblemindedness, adenoma sebaceum in epileptic moron, 147
incidence of diseases of skin in feebleminded person, *203
Feer's Disease: See Acrodynia
Feiler, H. B.: Seborrheic eczema, case for diagnosis, 508
Feldman, S.: Dermatitis exfoliativa in case of untreated psoriasis, 121
Macular atrophy (Schwenninger-Buzzi type), 117, 467
Macular atrophy, secondary to syphilis, 504
Moniliasis of skin and mucous membrane of mouth, 124
Pigmentation following treatment with arsphenamine and bismuth or erythrose péribuccale pigmentaire de Brocq, 670
Prurigo or dermatitis factitia, 126
Felsher, I. M.: Calcinosis cutis, 828
Fever, Therapeutic: See under Syphilis
Fibroangioma, syringofibroangioma originally presented as traumatic fibroangioma with localized hyperhidrosis, 833
Fibroma, amyotrophia syphilitica with subcutaneous fibroid nodules, 133
case for diagnosis, 655
lingual, or glossitis rhombica mediana, 161
Fifth Venereal Disease: See Granuloma inguinale
Fingers and Toes: See also Foot; Hand
glomus tumor, case for diagnosis, 108
Nails: See Nails
squamous-cell epithelioma of left fourth finger; case report, 634
Firjal: See Syphilis
Fistula, congenital, of lower lip, 151
Flood, J. M.: Lymphangiectasis associated with naevus flammeus and lymphangioma of scrotum and thigh, 982
Folliculitis decalvans, 137
decalvans et atrophicans (Little), or lichen planus acuminatus et atrophicans (Feldman), 668
decalvans, familial, 150
naris perforans; report of case, *429
Fondé, G. H.: Citrus fruit dermatoses, *225
Food, Allergy: See under Anaphylaxis and Allergy; and under names of various foods, as Milk; etc.
Foot: See also Fingers and Toes; etc.
dermatophytosis of feet; sources and methods of prevention of reinfection, *367
possible cavernous angioma of both feet, 99, 803
symmetric erythema of soles; "symmetrical lividities of soles of feet" (Pernet), *881
syringomyelia with malum perforans in brothers, 142
Fordyce-Fox's Disease: See Fox-Fordyce's disease
Forearm, abnormalities; congenital absence of skin areas, 443
Fox-Fordyce's disease, 140, 469
Fox, H.: Adenoma sebaceum, 100
American leishmaniasis, 975
Chancroidal ulcer of long duration cured with sulfanilamide, 660
Fox, H.—Continued
Darier's disease, 654
Demonstration of moulages, 980
Dermatitis medicamentosa (neoarsphenamine) of lichenoid type, 114
Granuloma inguinale, 979
Leprosy, mixed type, 100
Leukaemia cutis, 659
Linear dermatitis from contact with jellyfish, 106
Mycosis fungoides or lymphoblastoma, 103
Neural leprosy, 979
Phagedenic chancroid, case for diagnosis, 660
Progressive scleroderma associated with stricture of esophagus and rectum; improvement after cervical sympathectomy, 975
Report on case of pyoderma gangraenosum, 980
Severe ichthyosis, 87
Urticaria pigmentosa beginning at age of 7 years, 797
Frambesia, visceral pathology in Haitian treponematosis, 637
Franks, A. G.: Nitritoid reaction following injection of tryparsamide, *949
Fraser, J. F.: Angioma of cheek, 972
Arsenical lichen planus-like dermatitis, 968
Eczema, 112
Incontinentia pigmenti (Bloch-Sulzberger); report of additional case with comment on possible relation to new syndrome of familial and congenital anomalies, *57
Multiple idiopathic hemorrhagic sarcoma (Kaposi), 105
Pyoderma or molluscum contagiosum, 965
Radiodermatitis with ulcers, 798
Spiradenoma, 90
Squamous cell epithelioma of buttock, 101
Freeman, H. E.: Amyotrophia syphilitica with subcutaneous fibroid nodules, 133
Monocytic leukemia cutis, 796
Freeman, K. I.: Alopecia universalis and leukoderma acquisitum centrifugum, 263
Frei Reaction: See Lymphogranuloma Venereum
Friedman, R.: Lupus erythematosus, 148
Xanthelasmatosis, associated with hepatic enlargement of undetermined nature, 261
Fruit, citrus fruit dermatoses, *225
Fungi: See also Actinomycosis; Blastomycosis; Mycosis; Ringworm; Trichophytosis; etc.
effects of roentgen rays on fungi in vitro, *38
mycologic technic for study of anascosporous yeastlike fungi, *526
new method of staining skin and hairs for detection of fungi, 788
production of surface growth of pathogenic fungi on culture mediums; some factors of importance, *32
red pathogenic yeast fungi, 445
subsurface mycelium and dyes; their significance in mycologic studies, *235
Furunculosis, recurrent furunculoid lesions of adipose tissue, case for diagnosis, 153

Gammel, J. A.: Sycosis parasitica due to Favotrichophyton album var. singulare, *756
Ganglionectomy: See Sympathectomy
Gangrene, gangrenous pyoderma accompanied with hemorrhagic colitis, 478
varicella gangrenosa due to Streptococcus pyogenes, 442
Garbe, W.: Multinucleated (giant) cell tumor of gum (epulis), *603
Garner, V. C.: Circumscribed myxedema (postoperative), 992
Glossitis rhombica mediana or lingual fibroma, 161
Kaposi's sarcoma in Negro, 985
Rosacea-like tuberculid of Lewandowsky, case for diagnosis, 264
Gas Plant: See under Plants

Genitals: See also under names of genitals, as Penis; etc.
pemphigus of conjunctivas and of mucous membranes of mouth and genitalia, 133
Gilman, R. L.: Papulonecrotic tuberculid, 986
Telangiectatic lupus erythematosus, 265
Gilmour, A. J.: Fibroma, case for diagnosis, 655
Ginsberg, J. E.: Macular atrophy with hyperpigmentation (superficial scleroderma?), 832
Mucous gland tumors of skin, *52
Glasses, contact dermatitis from "horn-rimmed" spectacles; report of case, *746
Glomus Tumors: See under Tumors
Glossitis: See Tongue, inflammation
Glycerin, influence of glycerol on skin necrosis produced by staphylococcus toxin, 959
Glycerol: See Glycerin
Goiter, atypical myxedema coincident with exophthalmic goiter, 443
Gold and Gold Compounds, Therapy: See under Lupus erythematosus; Syphilis; etc.
vitiligo and exfoliative dermatitis, 264
Goldstein's Disease: See Telangiectasis
Gomes, J. M.: Chromoblastomycosis caused by fungus of genus Hormodendron, *12
Gonadotropic Substances: See Androgens; Pregnancy, urine in
Goodman, H.: Dermatologic symptoms of vitamin deficiencies, *389
Gout, erythromelalgia; report of case of its association with chronic gout with relief of symptoms for 2 years after intravenous administration of typhoid vaccine, *73
Granulocytopenia: See Angina, agranulocytic
Granuloma: See also Lipogranulomatosis
annulare, 110, 280
annulare or sarcoidosis, 128
benign lymphadenoid granuloma, 641
Coccidioidal: See Coccidioides
granulomatous inflammation of palate, case for diagnosis, 804
Inguinale: See also Lymphogranuloma Venereum
inguinale, 826, 979
inguinale, extragenital, *358
inguinale, preliminary report of certain microscopic observations, 783
inguinale; report of case of involvement of upper lip and depigmentation and edema of vulva, *245
inguinale, specific histology of, 957
Paracoccidioidal: See Blastomycosis
Granulosis rubra nasi, 155
Graves, J. M.: Dermatitis herpetiformis, 488
Rhinoscleroma, 494
Greenbaum, S. S.: Lichen planus accentuated by neoarsphenamine therapy; syphilis, 153
Greenblatt, R. B.: Extragenital granuloma inguinale, *358
Groin, pityriasis versicolor involving inguinal region and genitocrural folds, *249
Gross, E. R.: Case for diagnosis, 992
Intertriginous dermatitis (moniliasis?), 990
Lupus erythematosus with exudative retinitis, 993
Recurring herpes simplex, 990
Tertiary syphilis, 157
Gross, P.: Leprosy, case for diagnosis, 461
Parapsoriasis en plaques or mycosis fungoides, 667
Pustular bacterid (Andrews), 664
Unusual eruption suggestive of vitamin B_2 deficiency, cured by injections of liver extract, 450
Guequierre, J. P.: Alopecia universalis and leukoderma acquisitum centrifugum, 263
Dermatitis herpetiformis; arsenical keratosis, 264
Pityriasis rosea associated with oral lesions, 159, 262
Gumma: See also Syphilis, tertiary
of right leg, with secondary infection, 93
Gums, giant cell tumor of epulis type, 794
multinucleated (giant) cell tumor of gum (epulis), *603

Habermann's Disease: See Pityriasis lichenoides et varioliformis acuta
Hair, acquired progressive kinking of scalp hair with changes in its pigmentation, 648
atrophia pilorum, 136
excessive; hirsutism, 260
radiodermatitis following treatment for hypertrichosis, 991
scleroderma and hypertrichosis in child, 473
traumatic alopecia, 443
trichostasis spinulosa, *363
Hall, T. B.: Granuloma inguinale; report of case of involvement of upper lip and depigmentation and edema of vulva, *245
Hallopeau's Disease: See Acrodermatitis
Hand, E. A.: Morphea (unilateral distribution), 305
Hand: See also Fingers and Toes
ringworm of hand and scalp, 270
Hansen, R. F.: Symmetric erythema of soles; "symmetrical lividities of soles of feet" (Pernet), *881
Hansen's Disease: See Leprosy
Hasley, C. K.: Blue nevus or argyria, 302
Bourneville-Pringle's disease in patient whose right eye was enucleated because of intraocular tumor, 813
Bowen's dermatosis and multiple basal cell epithelioma, 807
Case for diagnosis, 805
Disseminate tuberculosis of face (mixed type), 810
Granulomatous inflammation of palate, case for diagnosis, 804
Kaposi's sarcoma, 315
Lymphedema of eyelids; recurrent erysipelas; congenital syphilis, 814
Lymphedema of upper lip, 814
Naevus anaemicus, 813
Paget-like disease of circumanal skin and carcinoma of rectum, 811
Pityriasis rubra pilaris, 809
Psoriasis guttata of skin and oral mucosa, 808
Psoriasis of oral mucosa; pigmented psoriasis, 808
Scleroderma, 306
Seronegative tertiary syphilis or lupus vulgaris, 806
Syringocystadenoma multiplex, 809
Tinea amiantacea, 807
Hasselmann, C. M.: Syphilis among Arabs in near East; bejel and loath in Iraq and Syria; firjal and latta in Palestine; laghout in Lebanon; abou-laghif and jifar in Trans-Jordan, *837
Hazel, O. G.: Urticaria provoked by heat or by psychic stimuli, *679
Heart: See also Endocarditis
syphilis of interventricular septum and ventricular tachycardia, 781
Heat, urticaria provoked by heat or by psychic stimuli, *679
Hedge, H. M.: Erythema induratum, 271
Multiple basal cell epitheliomatosis, 276
Helminthiasis: See Intestines, parasites
Hematoma with acne, case for diagnosis, 89
Hepatomegaly associated with jaundice; xanthomatosis (generalized); tertiary syphilis, 468
Herpes gestationis, 655
simplex, recurring, 990
simplex, treatment with moccasin venom, *599
zoster, 835
zoster, bilateral, *436
zoster, mechanism and its relation to chickenpox, 82

Hill, W. F.: Is lichen nitidus a variety of lichen planus? *569
Hill, W. R.: Morphea, 982
Psoriasis of hands or moniliasis, case for diagnosis, 982
Hirsutism: See Hair, excessive
Hitch, J. M.: Cutaneous manifestations of tularemia, *859
Symmetric erythema of soles; "symmetrical lividities of soles of feet" (Pernet), *881
Hitch, J. M., Jr.: Mouse brain lymphogranuloma venereum antigen; clinical experience at Cleveland City Hospital, *383
Hodgkin's Disease: See Lymphogranuloma
Hollander, E.: Treatment of pruritus ani by tattoo with mercuric sulfide, *337
Hollander, L.: Dermatitis produced by petrolatum; report of case, *49
Holmes, R. H.: Dermatitis and stomatitis from mercury of amalgam fillings, *349
Hopkins, J. G.: Bowen's disease in association with radium-induced atrophy of skin, 88
Urticaria provoked by heat or by psychic stimuli, *679
Hopper, M. E.: Favus involving toe nail; report of case, *856
Trichophytin test; its value as diagnostic aid, *713
Hormones, Gonadotropic: See Pregnancy, urine in
Horn, cutaneous, in Negro, 1007
Hughes, R. P.: Dermatitis caused by Mexican rubber plant, *780
Hutchinson-Boeck Sarcoid: See Sarcoid
Hutner, L.: Incontinentia pigmenti (Bloch-Sulzberger); report of additional case with comment on possible relation to new syndrome of familial and congenital anomalies, *57
Hydroa, studies of photosensitization by porphyrins, 640
Hypercholesteremia: See Blood, cholesterol
Hyperhidrosis: See under Sweat Glands
Hyperkeratosis: See Ichthyosis; Keratosis
Hyperpyrexia: See under Syphilis
Hypertrichosis: See under Hair
Hypophysis: See Pituitary Body

Ichthyosis, congenital, with recovery, 960
severe, 87
severe, in Negro, 663
Icterus: See Jaundice
Idiocy: See Feeblemindedness
Incontinentia Pigmenti: See Pigmentation, cutaneous
Industrial Diseases, cosmetic irritants, *906
industrial dermatitis and Workmen's Compensation Act, 640
study of fatal cases of cancer of scrotum from 1911 to 1935 in relation to occupation with reference to chimney sweeping and cotton mule spinning, 781
torch oil dermatitis; its relation to epidermomycosis ("ringworm"), 785
Industry and Occupations, studies in cardiovascular syphilis; effect of occupation on incidence and type of syphilitic aortitis, 782
Infectious Diseases: See Typhoid; etc.
Inflammation, changes in blood vessels (capillary fragility) with inflammation, 786
chronic, in tattoo mark, 481
Ingels, A. E.: Folliculitis decalvans, 137
Hereditary hemorrhagic telangiectasia, 997
Leprosy, 999
Panniculitis, case for diagnosis, 493
Inguinal Region: See Groin
Instruments: See Apparatus
Intestines, parasites; report on helminthiasis and dermatoses, 642
Iodine and Iodine Compounds, acneform iododerma (iodized salt), 966
pemphigus or iododerma, 821
poisoning from cutaneous application of iodine, 637
Iodobismitol: See Bismuth and Bismuth Compounds
Iododerma: See under Iodine and Iodine Compounds
Ivy Poisoning: See under Rhus

Jacobson, H. P.: Coccidioidal granuloma, 484
Effects of roentgen rays on fungi in vitro, *38
Extensive psoriasis, 485
Jacoby, H.: Bowen's disease with metastases (epithelioma of Bowen), *191
Jamieson, R. C.: Case for diagnosis, 298, 302
Necrobiosis lipoidica diabeticorum, 311
Sarcoid with lesions on arms resembling papulonecrotic tuberculid, 297
Jaundice, postarsphenamine, 636
xanthomatosis (generalized); hepatomegaly associated with jaundice; tertiary syphilis, 468
Jellyfish, linear dermatitis from contact with jellyfish, 106
Jifar: See Syphilis
Johnson, L. V.: Ocular pemphigus or essential shrinkage of conjunctiva, 135
Rosacea keratitis, 135
Journals: See Periodicals

Kahn, B. L.: Mycosis fungoides; syphilis, 995
Kala-Azar: See Leishmaniasis
Kampf, M. B.: Dermatitis herpetiformis, 673
Macular atrophy (Schwenninger and Buzzi type), 116
Kaposi's Disease: See Xeroderma pigmentosum
Sarcoma: See Sarcoma
Varicelliform Eruption: See Pyoderma
Katz, S.: Lichen planus accentuated by neoarsphenamine therapy; syphilis, 153
Kaufman, S. R.: Familial folliculitis decalvans, 150
Hypercholesteremic splenomegaly with xanthomatosis and dermatitis herpetiformis, 145
Keil, H.: Parapsoriasis en plaques disséminées and incipient mycosis fungoides; supplementary data on their relationship, *545
Kelley, E. F. T.: Epidermolysis bullosa hereditaria, 826
Lupus erythematosus or pseudopelade of Brocq, 508
Kelly, R. J.: Leukoderma centrifugum acquisitum of Sutton, 455
Treatment of herpes simplex with moccasin venom, *599
Keloid: See also Cicatrix
case for diagnosis, 644
multiple hypertrophic scars in child 4 years old, 502
Kendrick, F. J.: Nevoxanthoendothelioma, case for diagnosis, 268
Physical allergy in sisters; sensitization to sunlight, 291
Scleroderma-like lesions on legs (poikiloderma?), 286
Keratitis: See also Keratoconjunctivitis
interstitial; poor result despite continuous and intensive treatment, 990
rosacea keratitis, 135

Keratoconjunctivitis, phlyctenular, with lupus erythematosus disseminatus subacutus, 831
Keratosis: See also Ichthyosis
arsenical; dermatitis herpetiformis, 264
case of inherited ainhum-like hyperkeratosis, *26
follicularis, 498
follicularis; Darier's disease, 147, 654, 824
follicularis; successful treatment of Darier's disease, 258
hyperkeratotic papular eruption of forehead and cheeks, case for diagnosis, 998
palmaris et plantaris, case for diagnosis, 149
pilaris, possible prelude to pityriasis rubra pilaris, 154
seborrheic (carotenoid pigmentation?), 123
Kesten, B. M.: Arsenical dermatitis produced in treatment of trichomonas vaginitis; report of 5 cases, *198
Urticaria provoked by heat or by psychic stimuli, *679
Ketron, L. W.: Mycosis fungoides, case for diagnosis, 143
Kidneys, experimental investigation of toxic substances in skin affected with dermatitis; influence of extract of skin affected with dermatitis on histologic picture of liver, kidney and testis, 790
Kilroy, J. F.: Cervical adenitis and erythema induratum, 296
Lichen scrofulosorum, 297
Rosacea-like tuberculid of Lewandowsky? 297
Klauder, J. V.: Acne urticata polycythaemica, 145
Argyria, lupus erythematosus of scalp and essential shriveling of conjunctiva (ocular pemphigus) with involvement of all mucous membranes, 151
Case for diagnosis, 992
Essential shriveling of conjunctiva (ocular pemphigus); pemphigus of mucous membranes, 988
Interstitial keratitis; poor result despite continuous and intensive treatment, 990
Lupus erythematosus with exudative retinitis, 993
Sarcoma in dog treated with roentgen radiation, 160
Tuberculosis (distinctive type) in Negress, 148
Kline Test: See Syphilis
Klinge-Aschoff Nodule: See Rheumatic Fever
Knerler, C. W.: Mycosis fungoides in mother and in daughter; further report, *939
Knowles, F. C.: Familial folliculitis decalvans, 150
Susceptibility of allergic and nonallergic persons to rhus toxicodendron, *773
Syringomyelia with malum perforans in brothers, 142
Koilonychia: See Nails, diseases
Krajian, A. A.: Reliable method of staining Spirochaeta pallida in smears, *427
Kulchar, G. V.: Early mycosis fungoides, 497
Treatment-resistant primary syphilis, 1000
Kuznitzky, E.: Bowen's disease with metastases (epithelioma of Bowen), *191

Labia Majora: See Vulva
Laboratories, assembly of laboratory directors and serologists, 77
Laënnec's Disease: See under Liver
Laghout: See Syphilis
LaRocco, C. G.: Tuberculosis of skin or capillaritis, 1009
Latta: See Syphilis
Laymon, C.: Naevus anaemicus, 648
Leather, dermatitis due to shoe leather and to shoe polish, *434
Leifer, W.: Epidermolysis bullosa, 465
Sarcoidosis (Besnier-Boeck-Schaumann syndrome) involving skin, lymph nodes, bones and tendon sheaths, 457
Leiomyoma cutis, 283, 324
Leishmaniasis, American, 975
Leprosy, 825, 999
case for diagnosis, 461
mixed type, 100
neural, 489, 979
or sarcoid, 820
pemphigus leprosus, 446
Lerner, C.: Recklinghausen's disease with nevi, deformity of bone and tumefaction of soft tissue, 672
Leukemia, classification and terminology of leukemia and allied disorders, 783
cutis, 659
dermatologic manifestations of lymphoblastoma-leukemia group, 783
monocytic; cutaneous manifestations of Naegeli and Schilling types; hemocytologic differentiation, 80
monocytic leukemia cutis, 796
monocytic; report of 6 cases and review of 127 cases, 637
myelogenous, cutaneous manifestations of, 641
purpuric leukemid in case of chronic myelogenous leukemia, 463
Leukemid: See Leukemia
Leukoderma: See Vitiligo
Leukonychia: See under Nails
Leukoplakia: See under Mouth
Lever, W. F.: Relapsing febrile nodular nonsuppurative panniculitis (Weber-Christian disease); report of 2 cases, *415
Levin, E. A.: Atrophia pilorum, 136
Case for diagnosis, 502
Lichen nitidus, 495
Xanthelasma, 495
Lewis, G. M.: Dermatophytosis (immediate wheal reaction to trichophytin), 658
Dermatophytosis; onychomycosis, 109
Dermatophytosis; tinea glabrosa, 109
Dermatophytosis (Trichophyton purpureum), 109
Erysipeloid of Rosenbach, 662
Favus involving toe nail; report of case, *856
Trichophytin test; its value as diagnostic aid, *713
Lichen, lichenoid arsenical dermatitis, 472
nitidus, 495, 979
nitidus, case for diagnosis, 834
nitidus, is it a variety of lichen planus? *569
pigmented purpuric lichenoid dermatitis (Gougerot), 506
planus accentuated by neoarsphenamine therapy; syphilis, 153
planus acuminatus et atrophicans (Feldman) or folliculitis decalvans et atrophicans (Little), 668
planus and secondary syphilis, 470, 509
planus atrophicus et sclerosus, 266
planus, is lichen nitidus a variety of, *569
planus; leukoderma acquisitum centrifugum in association with lichen planus, *200
planus; linear eruption resembling lichen planus in syphilitic patient with arsenical dermatitis, 659
planus of lips, *401
planus or lichen ruber moniliformis, 479
planus or lupus erythematosus, 111
planus, zosteriform, *615
ruber moniliformis or lichen planus, 479
ruber moniliformis; report of observations at necropsy, *251
scrofulosorum, 297
scrofulosorum and sarcoid, 91
scrofulosorum, sarcoid of Boeck and papulonecrotic tuberculid, 447
scrofulosorum; tuberculosis cutis (scrofuloderma, sarcoid and lichen scrofulosorum), 272
Urticatus: See Urticaria papulosa

Light: See also Ultraviolet Rays; etc.
physical allergy in sisters; sensitization to sunlight, 291
pityriasis rosea sparing tanned areas of skin (bathing trunk distribution), *75
significance of porphyrin content of urine in dermatoses associated with sensitivity to light, *727
studies of photosensitization by porphyrins, 640
toxicity; dermatitis caused by Dictamnus albus (gas plant), 440
toxicity; dermatitis from sulfanilamide, 639
toxicity; erythema solare; 2 cases for diagnosis, 1010
toxicity; rosacea-like tuberculid of Lewandowsky (following sunburn); xanthelasma, 455
toxicity, rosacea, recurrent dermatitis of face and hands or pellagrinous dermatitis, 994
toxicity; skin eruptions in patients receiving sulfanilamide, 638
toxicity; sulfanilamide; photosensitizing agent of skin, 784

Lingua: See Tongue

Lipase in Blood: See Blood, lipase

Lipids: See Lipoids

Lipogranulomatosis, lipophagic granuloma and sclerema neonatorum, 639

Lipoids: See also Fat
case clinically resembling morphea with tuberculous background and indeterminate histology suggestive of necrobiosis lipoidica, 82
necrobiosis lipoidica diabeticorum, 268, 311
necrobiosis without diabetes, 311

Lips, chancre of lip resembling epithelioma, 817
cheilitis (lipstick?), 118
congenital fistulas of lower lip, 151
epithelioma of lip or ulcerative tertiary syphilis on right buccal mucosa with lingual and buccal leukoplakia, 670
granuloma inguinale; report of case of involvement of upper lip and depigmentation and edema of vulva, *245
lichen planus of, *401
lupus erythematosus of, 265
lymphedema of upper lip, 814
xeroderma pigmentosum with carcinoma of lower lip in 2 brothers, aged 16 and 13 years, 78

Lipstick, cheilitis due to, 118
lipstick dermatitis with report of case due to eosin, 641

Livedo reticularis in 2 sisters, 801

Liver, causative factors in production of Laënnec's cirrhosis with reference to syphilis, 782
dermatitis medicamentosa due to injections of, 462
electrolytes of blood and urine of dogs with acute hepatic injury produced by arsphenamine, 635
experimental investigation of toxic substances in skin affected with dermatitis; influence of extract of skin affected with dermatitis on histologic picture of liver, kidney and testis, 790
extensive xanthoma tuberosum in childhood due to infectious cirrhosis of liver, 253
influence of arsphenamine and syphilis on function of reticuloendothelial system and liver; influence of arsphenamine on function of liver, 85
unusual eruption suggestive of vitamin B_2 deficiency, cured by injections of liver extract, 450
xanthelasmatosis associated with hepatic enlargement of undetermined nature, 261

Loath: See Syphilis

Lord, L. W.: Dermatitis due to shoe leather and to shoe polish, *434
Hereditary ectodermal dysplasia of anhydrotic type (congenital ectodermal defect), *893

Love, W. R.: Mouse brain lymphogranuloma venereum antigen; clinical experience at Cleveland City Hospital, *383

Lowenfish, F. P.: Chancroid (chancre?), 453
Moniliasis, 454

Ludy, J. B.: Congenital fistulas of lower lip, 151
Peripheral neuritis; trophic ulcer; calcification of ears, 987
Pseudoxanthoma elasticum, 150

Lunsford, C. J.: Fixed eruption following injections of neoarsphenamine, 499
Multiple idiopathic hemorrhagic sarcoma, case for diagnosis, 1003
Naevus unilateralis or verruca plana juvenilis, 996
Parapsoriasis, 496

Lupus: See also Tuberculosis
erythematosus, 129, 148, 319, 480, 503, 510
erythematosus, acute, 320
erythematosus, buccal and labial, or pemphigus, 663
erythematosus, case for diagnosis, 967
erythematosus, discoid, involving palpebral conjunctiva, 287
erythematosus, discoid, undergoing dissemination, 661
erythematosus discoides with spread of lesions after ultraviolet irradiation, 114
erythematosus, disseminated superficial, case for diagnosis, 127
erythematosus, disseminated, treated with sodium gold thiosulfate, 973
erythematosus disseminatus, 295
erythematosus disseminatus subacutus with phlyctenular keratoconjunctivitis, 831
erythematosus, fulminating acute, cured by sulfanilamide, *621
erythematosus of conjunctiva, 671
erythematosus of lips, 265
erythematosus of scalp, argyria and essential shriveling of conjunctiva (ocular pemphigus) with involvement of all mucous membranes, 151
erythematosus of scalp simulating burn with acid, 971
erythematosus or lichen planus, 111
erythematosus or pseudopelade of Brocq, 508
erythematosus; relation between "systemic" lupus erythematosus and peculiar form of thrombocytopenic purpura, 82
erythematosus; report on case of possible lupus erythematosus, 803
erythematosus, scleroderma or Raynaud's disease, 492
erythematosus, telangiectatic, 265
erythematosus treated by general radiologist, 114
erythematosus treated with bismuth preparation, 120
erythematosus with exudative retinitis, 993
miliaris disseminatus faciei, 979
pernio, 502
tumidus; disseminated hematogenous tuberculosis of lupus tumidus type, 292
vulgaris, 284, 791, 818
vulgaris; determination of ascorbic acid in urine of patients with lupus vulgaris by methylene blue method, 258
vulgaris, hypertrophic, 644
vulgaris or seronegative tertiary syphilis, 806

Lymph Nodes: See also Lymphogranuloma; etc.
as source of neutralizing principle for vaccinia, 81
cervical adenitis and erythema induratum, 296

Lymph Nodes—Continued
sarcoidosis (Besnier-Boeck-Schaumann syndrome) involving skin, lymph nodes, bones and tendon sheaths, 457
tuberculous cervical adenitis and erythema nodosum, 823

Lymphadenitis: See under Lymph Nodes
Lymphangiectasis associated with naevus flammeus and lymphangioma of scrotum and thigh, 982

Lymphangioma, lymphangiectasis associated with naevus flammeus and lymphangioma of scrotum and thigh, 982

Lymphedema: See Elephantiasis

Lymphoblastoma: See also Lymphogranuloma
case for diagnosis, 805
dermatologic manifestations of lymphoblastoma-leukemia group, 783
or mycosis fungoides, 103

Lymphocytoma, benign lymphadenoid granuloma, 641

Lymphogranuloma: See also Granuloma
Hodgkin's disease with generalized pruritus, 832
Inguinale: See Lymphogranuloma Venereum
Lymphogranuloma Venereum, 158, 262, 477
chancroid and syphilis, 130
chancroid, cured with sulfanilamide, and syphilis, 476
clinical and histologic studies on so-called esthiomene, 445
erythrocyte sedimentation test, 963
esthiomene, 85
evaluation of Frei test with mouse brain antigen; comparison with human antigen, *930
mouse brain antigen; clinical experience at Cleveland City Hospital, *383
relation between time of appearance of allergy (Frei reaction) and changes in blood and influence of intravenous injection of Frei antigen on blood, 963
stenosing proctitis and Nicolas-Favre's disease, 642
treatment with sulfanilamide, *705
with extension to hip, 133

McFarland, A. R.: Significance of porphyrin content of urine in dermatoses associated with sensitivity to light, *727

Machacek, G. F.: Rosacea-like tuberculid of Lewandowsky (following sunburn); xanthelasma, 455
Sarcoid of Boeck (generalized), 448
Sarcoid of Boeck, lichen scrofulosorum and papulonecrotic tuberculid, 447

MacKee, G. M.: Trichophytin test; its value as diagnostic aid, *713

Madden, J. F.: Chronic inflammation in tattoo mark, 481
Erythema ab igne, case for diagnosis, 478
Erythema nodosum, 479
Gangrenous pyoderma accompanied with hemorrhagic colitis, 478
Lichen ruber moniliformis or lichen planus, 479
Lupus erythematosus, 480

Malingering, unusual cutaneous manifestations in psychopathic patient, 505

Malum Perforans: See under Foot

Mapharsen: See under Syphilis

Margard, G. A.: Mouse brain lymphogranuloma venereum antigen; clinical experience at Cleveland City Hospital, *383

Markel, J.: Erythromelalgia; report of case of its association with chronic gout with relief of symptoms for 2 years after intravenous administration of typhoid vaccine, *73

Markowitz, M.: Striae hypertrophicae symmetricae juvenilis, 261

Masculinization: See Virilism

Measles, visceral pathology in; clinicopathologic study of 100 fatal cases, 79

Mecholyl: See Choline and Choline Derivatives

Medicine, naval; skin irritation and cancer in U. S. Navy, 635

Melanin: See also Addison's Disease; Pigmentation
pigmentation; melanotic sarcoma with extreme melanosis; report of case, *574
pigmentation; postinflammatory melanosis, 274

Melanoma, 288
nonpigmented, 656

Melanosis: See Melanin, pigmentation

Memmesheimer, A.: Sudoriparous glands; apocrine glands, *373

Menagh, F. R.: Sporotrichosis, 313

Mendelsohn, H. V.: Toxic dermatitis or pityriasis rosea, 126

Mercury, dermatitis and stomatitis from mercury of amalgam fillings, *349

Metasyphilis: See Syphilis, congenital

Methylene Blue: See Methylthionine Chloride

Methylthionine Chloride, determination of ascorbic acid in urine of patients with lupus vulgaris by methylene blue method, 258

Michelson, H. E.: Acrodermatitis chronica atrophicans, 650

Milk, allergy; caseinogen as causative factor in etiology of erythema multiforme exudativum of Hebra, 788
high fat feeding of eczematous infants, 960

Miller, H. E.: Coccidioidal granuloma, 499

Miller, K. F.: Kline flocculation test; its significance and application in obstetric service of Queens General Hospital, *918

Miller, J. L.: Granuloma inguinale, 826

Miller, T. H.: Case for diagnosis, 317
Tuberculosis cutis, 296

Miskjian, H. G.: Case for diagnosis, 795

Mitchell, J. H.: Bromoderma, 278
Epithelioma of tongue, case for diagnosis, 290
Melanoma, 288

Molds: See Fungi

Moles: See Nevi

Molluscum contagiosum or pyoderma, 965

Mongolian Spot: See Pigmentation, cutaneous

Moniliasis, 454
generalized, and monilids, 124
intertriginous dermatitis (moniliasis?), 990
of skin and mucous membrane of mouth, 124
or psoriasis of hands, 982

Monilids and generalized moniliasis, 124

Monocytes: See Leukemia, monocytic

Montgomery, D. W.: Lichen planus of lips, *401

Montgomery, H.: Value and limitations of biopsy in dermatology, *329

Montgomery, O. F.: Keratosis follicularis, 498

Montgomery, R. M.: Favus involving toe nail; report of case, *856

Moore, J. E.: Tabes dorsalis; cooperative clinical studies in treatment of syphilis, *692

Moore, M.: Blastomycosis, coccidioidal granuloma and paracoccidioidal granuloma; comparative study of North American, South American and European organisms and clinical types, *163
Pityriasis versicolor involving inguinal region and genitocrural folds, *249

Morons: See Feeblemindedness

Morphea: See Scleroderma

Morrow, H.: Neural leprosy, 489

Moulages, demonstration of, 980
Mouth: See also Angina, Vincent's; Gums; Stomatitis; etc.
epithelioma of lip or ulcerative tertiary syphilis on right buccal mucosa with lingual and buccal leukoplakia, 670
moniliasis of skin and mucous membrane of mouth, 124
pemphigus of conjunctivas and of mucous membranes of mouth and genitalia, 133
pityriasis rosea associated with oral lesions, 159, 262
psoriasis guttata of skin and oral mucosa, 808
psoriasis of oral mucosa; pigmented psoriasis, 808
ulcus vulvae acutum with ulcers in, 643
Mucous Membrane: See also Mouth; etc.
argyria, lupus erythematosus of scalp and essential shriveling of conjunctiva (ocular pemphigus) with involvement of all mucous membranes, 151
essential shriveling of conjunctiva (ocular pemphigus); pemphigus of mucous membranes, 988
investigation on resorption of substances by skin and mucous membranes, 962
mucous cysts of mucous membrane of hard palate, 466
mucous gland tumors of skin, *52
Muscles, scleredema adultorum (Buschke) with involvement of muscles in 11 year old boy, 634
Mycobacterium Leprae: See under Leprosy
Mycosis: See also Actinomycosis; Blastomycosis; Moniliasis; Ringworm; Stomatitis; Tinea; Torula; Trichophytosis; etc.
cutaneous; dermatophytosis (hands, feet and toe nails) due to Trichophyton purpureum, 646
cutaneous; dermatophytosis (immediate wheal reaction to trichophytin), 658
cutaneous; dermatophytosis of feet; sources and methods of prevention of reinfection, *367
cutaneous; dermatophytosis; onychomycosis, 109
cutaneous; dermatophytosis; tinea glabrosa, 109
cutaneous; dermatophytosis (Trichophyton purpureum), 109
cutaneous; treatment of dermatophytosis with vaccines, *925
fungoides, 465
fungoides, case for diagnosis, 124, 143, 285, 793
fungoides, early, 497
fungoides; eczema diffusum resembling mycosis fungoides, 652
fungoides, fate of patients with, 444
fungoides in mother and in daughter; further report, *939
fungoides, incipient, and parapsoriasis en plaques disséminées; supplementary data on their relationship, *545
fungoides or lymphoblastoma, 103
fungoides or parapsoriasis en plaques, 667
fungoides or syphilis, 647
fungoides; parapsoriasis with beginning mycosis fungoides, 656
fungoides; syphilis, 995
Myelosis, Aleukemic: See Leukemia, myelogenous
Myxedema, atypical, coincident with exophthalmic goiter, 443
circumscribed (postoperative), 992

Nachman, A.: Dermatitis gangraenosa infantum, *407
Nails, dermatophytosis; onychomycosis, 109
diseases; koilonychia, 113
favus involving toe nail; report of case, *856
leukonychia striata, 258
psoriasis of, *583
Nails—Continued
rate of growth of finger nails, 961
syphilitic onychia; report of case in which ungual changes helped to establish diagnosis and time of syphilitic infection, *432
Nares: See Nose
Navies: See Medicine, naval
Neck, extragenital granuloma inguinale, *358
Necrobiosis lipoidica; case clinically resembling morphea with tuberculous background and indeterminate histology suggestive of necrobiosis lipoidica, 82
lipoidica diabeticorum, 268, 311
without diabetes, 311
Neoarsphenamine: See Arsphenamines; and under names of various diseases
Neoplasms: See Cancer; Sarcoma; Tumors
Nerves: See also Neuritis
optic; treatment of syphilis with hyperpyrexia with observations on prognosis of optic atrophy, 956
tryparsamide therapy of neurosyphilis and atrophy of optic nerve, 786
Nervous System: See also Brain; Nerves; etc.
neurocutaneous syndrome, 152
Syphilis: See Syphilis
threshold of tolerance in cutaneous eczema, 257
vegetative, in scleroderma, 256
Netherton, E. W.: Acnitis, 1007
Sarcoid, case for diagnosis, 1008
Sporotrichosis (disseminated subcutaneous type), 131
Neuhauser, I.: Calcinosis cutis, 828
Neuritis, peripheral; trophic ulcer; calcification of ears, 987
Neurocutaneous Syndrome: See under Nervous System; Skin
Neurodermatitis disseminata with cataract, 323
Neurofibromatosis, adenoma sebaceum and its role in neurocutaneous syndrome; tuberous sclerosis and its relationship to Recklinghausen's disease, 964
adenoma sebaceum (Pringle type), associated with Recklinghausen's disease, 669
early Recklinghausen's disease, 318
Recklinghausen's disease, 319
Recklinghausen's disease with nevi, deformity of bone and tumefaction of soft tissue, 672
Neuroma, multiple, case for diagnosis, 102
Neurosyphilis: See under Syphilis
Nevi: See also Angioma
abortive attempt at polydactylism? 156
blue (face); "mongolian spots" (sacrum), 483
blue, or argyria, 302
lymphangiectasis associated with naevus flammeus and lymphangioma of scrotum and thigh, 982
naevus anaemicus, 648, 813
naevus unilateralis or verruca plana juvenilis, 996
nevoxanthoendothelioma, case for diagnosis, 268
or atrophic scar, 140
pigmented mole with white halo, case for diagnosis, 965
Recklinghausen's disease with nevi, deformity of bone and tumefaction of soft tissue, 672
Nicolas-Favre's Disease: See Lymphogranuloma Venereum
Niles, H. D.: Albuminuria in association with scabies; review of literature and report of urinalyses in 216 cases, *19
Atypical psoriasis, case for diagnosis, 816
Nitritoid Crises: See Arsenic and Arsenic Compounds

Nodes: See Erythema nodosum
Nose, folliculitis naris perforans; report of case, *429
granulosis rubra nasi, 155
pyogenic ulceration of, case for diagnosis, 106
Novy, F. G., Jr.: Blastomycosis, 500
Erythema induratum, case for diagnosis, 997
Neural leprosy, 489
Nevus or atrophic scar, 140
Pemphigus, 487

Obermayer, M. E.: Erythema palmare as part of generalized telangiectasis during pregnancy, 836
Herpes zoster, 835
Obesity, cutaneous dystrophy and obesity of adrenal origin, 256

OBITUARIES:

Darier, Jean, 625
Whitehouse, Henry Howard, 631

Occupational Diseases: See Industrial Diseases
Occupations: See Industry and Occupations
O'Leary, P. A.: Tabes dorsalis; cooperative clinical studies in treatment of syphilis, *692
Oliver, E. A.: Lupus vulgaris, 284
Nevoxantho endothelioma, case for diagnosis, 268
Pigmentation of skin, case for diagnosis, 274
Ringworm of hand and scalp, 270
Scleroderma-like lesions on legs (poikiloderma?), 286
Onychia: See Nails
Onychomycosis: See Nails
Orf: See Dermatitis
Oriental Sore: See Leishmaniasis
Ormsby, O. S.: Cutis hyperelastica, 828
Leiomyoma cutis, 283
Lichen planus atrophicus et sclerosus, 266
Xanthoma diabeticorum, 267
Xanthoma juvenile, 267
Xanthoma multiplex, 267
Osborne, E. D.: Contact and environmental allergens as cause of eczema in infants and in children, *511
Osler's Disease: See Telangiectasis
Osteitis, Syphilitic: See Bones, syphilis
Osteoma cutis, case for diagnosis, 983

Paget's Disease of Eyelids: See Eyelids
of Skin: See Skin, diseases
Palate, granulomatous inflammation of, case for diagnosis, 804
mucous cysts of mucous membrane of hard palate, 466
Palmer, R. B.: Folliculitis naris perforans; report of case, *429
Pancreas, cancer, and dermatitis herpetiformis, 974
Panniculitis, case for diagnosis, 493
liquefying nodular panniculitis; report of case, *535
relapsing febrile nodular nonsuppurative (Weber-Christian disease); report of 2 cases, *415
Papilloma, acanthosis nigricans or papillomatose réticulée (Gougerot), 666
Paracoccidioides: See Blastomycosis
Paralysis, Flaccid: See Extremities, paralysis
General: See Dementia Paralytica
Parapsoriasis, 496
en plaques, case for diagnosis, 798
en plaques disséminées and incipient mycosis fungoides; supplementary data on their relationship, *545
Parapsoriasis—Continued
en plaques or mycosis fungoides, 667
guttata with leukoderma, 270
lichenoides et varioliformis, case for diagnosis, 815
with beginning mycosis fungoides, 656
Parathyroid, lichen urticatus (papular urticaria); treatment with parathyroid extract; theoretical consideration of etiology, 253
Paresis: See Dementia Paralytica
Pariser, H. P.: Multiple benign cystic epithelioma or adenoma sebaceum in mother and daughter; 2 cases for diagnosis, 986
Parran, T.: Tabes dorsalis; cooperative clinical studies in treatment of syphilis, *692
Patch Test: See Anaphylaxis and Allergy
Peck, S. M.: Dermatitis medicamentosa due to injections of liver, 462
Pigmented purpuric lichenoid dermatitis (Gougerot), 506
Progressive cutaneous vascular disease with hemorrhage by diapedesis, 460
Purpuric leukemid in case of chronic myelogenous leukemia, 463
Pellagra with unusual involvement of skin, tongue and eyes, 84
Pemphigus, 273, 487, 976
argyria, lupus erythematosus of scalp and essential shriveling of conjunctiva (ocular pemphigus) with involvement of all mucous membranes, 151
essential shriveling of conjunctiva (ocular pemphigus); pemphigus of mucous membranes, 988
etiology of, 83
foliaceus, 825
juvenile; effects of germanin in 3 cases, *555
Leprosus: See under Leprosy
ocular, or essential shrinkage of conjunctiva, 135
of conjunctivas and of mucous membranes of mouth and genitalia, 133
or buccal and labial lupus erythematosus, 663
or erythema multiforme, 1005
or iododerma, 821
vulgaris, 486
vulgaris, contribution to virus origin of, 960
vulgaris, report on case of probable pemphigus vulgaris, 803
Penis, erythroplasia of Queyrat, case for diagnosis, 802
induratio penis plastica, 84
malignant tumor of, 961
Periarteritis nodosa mutilans; report of case, 962
tuberculous, and tuberculosis (nodes, bones and epididymis), 651
Perichondritis: See Ear, external
Periodicals, jubilee number of British Journal of Dermatology, *952
Personality, psychological factors in asthma-prurigo, 959
Perspiration: See Sweat Glands
Petrolatum, dermatitis produced by; report of case, *49
Petroleum Products, torch oil dermatitis; its relation to epidermomycosis ("ringworm"), 785
Phagocytes and Phagocytosis, eczema and phagocytosis of leukocytes; influence of serum of subjects with dermatitis on phagocytosis of leukocytes in normal rabbits, 84
Phalanges: See Fingers and Toes
Phenolphthalein, eruption due to, case for diagnosis, 316
fixed eruption, 999
fixed eruption in patient sensitive to arsphenamine and phenolphthalein in different areas, 474

Photosensitization: See under Light
Pigmentation: See also Addison's Disease; Carotene; Melanin, pigmentation; Nevi; Xeroderma pigmentosum; etc.
cutaneous; Addison's disease or chloasma, 289
cutaneous; blue nevus (face); "mongolian spots" (sacrum), 483
cutaneous; incontinentia pigmenti (Bloch-Sulzberger); report of additional case with comment on possible relation to new syndrome of familial and congenital anomalies, *57
discoloration of cheeks and neck, case for diagnosis, 115
granuloma inguinale; report of case of involvement of upper lip and depigmentation and edema of vulva, *245
macular atrophy with hyperpigmentation (superficial scleroderma?), 832
of skin, case for diagnosis, 274
Pillsbury, D. M.: Dermatitis herpetiformis, 985
Keratosis palmaris et plantaris, case for diagnosis, 149
Neurocutaneous syndrome, 152
Recurrent furunculoid lesions of adipose tissue, case for diagnosis, 153
Rosacea, recurrent dermatitis of face and hands, light sensitivity or pellagrinous dermatitis, 994
Pines, C.: Epithelioma of lip or ulcerative tertiary syphilis on right buccal mucosa with lingual and buccal leukoplakia, 670
Pinkus, H.: Bourneville-Pringle's disease, 314
Bourneville-Pringle's disease in patient whose right eye was enucleated because of intraocular tumor, 813
Bowen's dermatosis and multiple basal cell epithelioma, 807
Case for diagnosis, 805
Disseminate tuberculosis of face (mixed type), 810
Disseminated hematogenous tuberculosis of lupus tumidus type, 292
Granulomatous inflammation of palate, case for diagnosis, 804
Grouped nodular tuberculids (Jadassohn), 293
Lymphedema of eyelids; recurrent erysipelas; congenital syphilis, 814
Lymphedema of upper lip, 814
Naevus anaemicus, 813
Paget-like disease of circumanal skin and carcinoma of rectum, 811
Pityriasis rubra pilaris, 809
Poikiloderma with calcinosis universalis due to dermatomyositis progressiva, 307
Psoriasis guttata of skin and oral mucosa, 808
Psoriasis of oral mucosa; pigmented psoriasis, 808
Seronegative tertiary syphilis or lupus vulgaris, 806
Syringocystadenoma multiplex, 809
Tinea amiantacea, 807
Pinta, White: See Vitiligo
Pituitary Body, Cushing's syndrome (basophilic adenoma of pituitary gland), 490
Cushing's syndrome (early), 491
Pityriasis lichenoides et varioliformis acuta, 979
rosea associated with oral lesions, 159, 262
rosea or toxic dermatitis, 126
rosea sparing tanned areas of skin (bathing trunk distribution), *75
rosea, treatment with eosin, 789
rosea with vesicles, including face, 466
rotunda Matsuura (pityriasis circinata toyama), case in Manchurian, 963
rubra pilaris, 809
rubra pilaris, keratosis pilaris possible prelude to, 154
rubra pilaris or psoriasis, 92
Versicolor: See Tinea versicolor
Plants, dermatitis caused by Dictamnus albus (gas plant), 440
dermatitis caused by Mexican rubber plant, *780
Poikiloderma, case for diagnosis; latent syphilis, 978
or scleroderma, 140
scleroderma-like lesions on legs, 286
with calcinosis universalis due to dermatomyositis progressiva, 307
Poison Ivy: See under Rhus
Polycythemia; acne urticata polycythaemica, 145
Polydactylia, nevus (abortive attempt at polydactylism?), 156
Porphyrin in Urine: See under Urine
studies of photosensitization by, 640
Pratt, A. G.: Psoriasis associated with cutaneous tuberculosis? 155
Susceptibility of allergic and nonallergic persons to rhus toxicodendron, *773
Pregnancy, erythema palmare as part of generalized telangiectasis during pregnancy, 836
urine in; gonadotropic substance in treatment of acne, 441
Pringle's Disease: See Sebaceous Glands
Pringle-Bourneville's Disease: See Sclerosis, tuberous
Prontosil, Therapy: See under Erysipelas
Prostate, enlarged; pruritus (generalized); urinary retention, 282
Prurigo nodularis, 451
nodularis, case for diagnosis, 127
or dermatitis factitia, 126
psychological factors in asthma-prurigo, 959
Pruritus ani, treatment by tattoo with mercuric sulfide, *337
generalized; enlarged prostate; urinary retention, 282
Hodgkin's disease with generalized pruritus, 832
Pseudopelade: See Alopecia, cicatrisata
Pseudoxanthoma elasticum, 150
Psoriasis associated with cutaneous tuberculosis? 155
atypical, case for diagnosis, 816
dermatitis exfoliativa in case of untreated psoriasis, 121
extensive, 485
guttata of skin and oral mucosa, 808
of hand or moniliasis, 892
of nails, *583
of oral mucosa; pigmented psoriasis, 808
or pityriasis rubra pilaris, 92
pustular, 664
relation between assimilation of water and dermatoses on basis of tests of water excretion in psoriasis, eczema and few other dermatoses (diuretic index), 258
"skin prints" (simple technic for following individual lesions in chronic skin diseases such as psoriasis), 787
squamous cell epithelioma in psoriatic patches, *241, 780
Puberty: See Adolescence
Pund, E. R.: Extragenital granuloma inguinale, *358
Purpura, pigmented purpuric lichenoid dermatitis (Gougerot), 506
purpuric and scarlatiniform eruption following sulfanilamide, 784
purpuric leukemid in case of chronic myelogenous leukemia, 463
relation between "systemic" lupus erythematosus and peculiar form of thrombocytopenic purpura, 82
Pusey, W. A.: Jubilee number of British Journal of Dermatology, 952

Pyoderma gangraenosum, report on case of, 980
gangrenous, accompanied with hemorrhagic colitis, 478
investigation of virus diseases of skin with report of case of Kaposi's varicelliform eruption, 789
or molluscum contagiosum, 965
pustulosis varioliformis seu vacciniformis acuta, 259
pyogenic lesions of skin associated with chronic ulcerative colitis, 829
varicelliform eruption of Kaposi (regressing), 792

Races, cancer and human races, 78
racial incidence of acrodynia, 253

Radiations: See Radium; Roentgen Rays; Ultraviolet Rays; etc.

Radiodermatitis: See Roentgen Rays

Radium, Bowen's disease in association with radium-induced atrophy of skin, 88
production of epithelial tumors by irradiation of precancerous skin lesion, 438
Therapy: See under names of various diseases

Rattner, H.: Bilateral herpes zoster, *436
Device for "continuous" patch tests, *619
Necrobiosis lipoidica diabeticorum, 268
Sarcoid, case for diagnosis, 284
Tertiary syphilis (extensive), 279

Raynaud's Disease, scleroderma or lupus erythematosus, 492

Recklinghausen's Disease: See Neurofibromatosis

Rectum, Paget-like disease of circumanal skin and carcinoma of rectum, 811
progressive scleroderma associated with structure of esophagus and rectum; improvement after cervical sympathectomy, 975

Reider, R. F.: Evaluation of Frei test with mouse brain antigen; comparison with human antigen, *930

Rein, C. R.: Lichen ruber moniliformis; report of observations at necropsy, *251

Rendu-Osler's Disease: See Telangiectasis

Reticuloendothelial System, influence of arsphenamine and syphilis on function of reticuloendothelial system and liver; influence of syphilis on function of reticuloendothelial system, 86

Retinitis, lupus erythematosus with exudative retinitis, 993

Reuter, M. J.: Mucous gland tumors of skin, *52

Rheumatic Fever, annular erythema and streptococcemia in course of Bouillaud's disease, 442
rheumatic erythema papulatum; cutaneous lesions of Aschoff-Klinge type, 790

Rhinoscleroma, 494

Rhus, susceptibility of allergic and nonallergic persons to rhus toxicodendron, *773

Ringworm: See also Mycosis, cutaneous; Tinea; Trichophytosis; etc.
erysipelas-like eruption complicating dermatophytosis, 80
of hand and scalp, 270
recurrent erysipelas-like manifestations of legs; their relationship to fungous infections of feet, 80
torch oil dermatitis; its relation to epidermomycosis ("ringworm"), 785
trichophytin test; its value as diagnostic aid, *713

Ritter's Disease: See Dermatitis exfoliativa

Roback, H. N.: Large epithelioma of cheek; report of case, *902

Robbins, J. B.: Hodgkin's disease with generalized pruritus, 832

Robinson, S. S.: Healed scleroderma, case for diagnosis, 482
Leukoderma acquisitum centrifugum in association with lichen planus, *200

Roentgen Rays, effects on fungi in vitro, *38
radiodermatitis following treatment for hypertrichosis, 991
radiodermatitis with ulcers, 798
scrofuloderma or secondary radiodermatitis, 452
Therapy: See under names of organs and regions, as Sarcoma; etc.

Rosen, I.: Prurigo nodularis, 451
Resistant secondary syphilis, 657

Rosenbach's Disease: See Erysipeloid

Rosenberg, M. N.: Lupus vulgaris (hypertrophic), 644

Rostenberg, A.: Chancroids cured with sulfanilamide, 509
Folliculitis decalvans et atrophicans (Little), or lichen planus acuminatus et atrophicans (Feldman), 668
Lupus erythematosus, 129
Lymphogranuloma venereum; chancroid; syphilis, 130
Pseudopelade of Brocq, case for diagnosis, 506

Rubber Plant: See under Plants

Rulison, R. H.: Multiple idiopathic hemorrhagic sarcoma (Kaposi), 102
Pigmented mole with white halo, case for diagnosis, 965
Tuberculosis of skin or atypical papulonecrotic tuberculid, 969

Sachs, W.: Multinucleated (giant) cell tumor of gum (epulis), *603
Steatocystoma multiplex congenitale; 10 cases in 3 generations, *877

Sacrum, blue nevus (face); "mongolian spots" (sacrum), 483

Salicyl Compounds, submucous hemorrhage of uvula with necrosis, following ingestion of acetylsalicylic acid, 288

Saliva, self cleansing of mouth, 260

Salt, acneform iododerma (iodized salt), 966

Sarcoid and lichen scrofulosorum, 91
case for diagnosis, 284, 1008
granuloma annulare or sarcoidosis, 128
ocular changes in Besnier-Boeck's disease, further contributions, 83
of Boeck, 142
of Boeck (generalized), 448
of Boeck, lichen scrofulosorum and papulonecrotic tuberculid, 447
or leprosy, 820
sarcoidosis (Besnier-Boeck-Schaumann syndrome) involving skin, lymph nodes, bones and tendon sheaths, 457
superficial circumscribed, 650
tuberculosis cutis (scrofuloderma, sarcoid and lichen scrofulosorum), 272
with lesions on arms resembling papulonecrotic tuberculid, 297

Sarcoma: See also Cancer; Tumors; and under names of tumors, as Angiosarcoma; Dermatofibrosarcoma; etc.
in dog treated with roentgen radiation, 160
Kaposi's, 315, 827
Kaposi's, case for diagnosis, 472
Kaposi's, in Negro, 985
melanotic, with extreme melanosis; report of case, *574
multiple idiopathic hemorrhagic, case for diagnosis, 1003
multiple idiopathic hemorrhagic (Kaposi), 102, 105, 277, 452
neurogenic, 263
syphilitic osteitis, 2 cases, 86

Saunders, H. C.: Lichenoid arsenical dermatitis, 472
Lymphogranuloma venereum, 477
Saunders, W. G.: Blue nevus or argyria, 302
Kaposi's sarcoma, 315
Scleroderma, 306
Sauter, S. H.: Cervical adenitis and erythema induratum, 296
Lichen scrofulosorum, 297
Rosacea-like tuberculid of Lewandowsky? 297
Sayer, A.: Dermatitis herpetiformis, 672
Dermatitis venenata or drug eruption, 118
Lupus erythematosus treated with bismuth preparation, 120
Scabies, albuminuria in association with scabies; review of literature and report of urinalyses in 216 cases, *19
Scalp, acquired progressive kinking of scalp hair with changes in its pigmentation, 648
argyria, lupus erythematosus of scalp and essential shriveling of conjunctiva (ocular pemphigus) with involvement of all mucous membranes, 151
Diseases: See under names of diseases, as Folliculitis; Ringworm; Seborrhea; Tinea; etc.
lupus erythematosus of scalp simulating burn with acid, 971
ringworm of hand and scalp, 270
superficial trichophytosis in adults, 84
Scarlet Fever; miliaria scarlatinosa suppurative, 961
therapeutic value of convalescent serum in, 635
Scars: See Cicatrix
Schildkraut, J. M.: Lupus erythematosus of lips, 265
Schiller, A. E.: Blue nevus or argyria, 302
Early Recklinghausen's disease, 318
Epidermolysis bullosa, 319
Kaposi's sarcoma, 315
Recklinghausen's disease, 319
Scleroderma, 306
Scholtz, J. R.: Clinical application of stain for spirochetes (Krajian), *217
Schüller-Christian Syndrome, 255
Schwartz, W. F.: Atopic eczema and asthma with bilateral cataract, 130
Erythema solare; 2 cases for diagnosis, 1010
Lymphogranuloma venereum with extension to hip, 133
Mouse brain lymphogranuloma venereum antigen; clinical experience at Cleveland City Hospital, *383
Pemphigus of conjunctivas and of mucous membranes of mouth and genitalia, 133
Squamous cell epithelioma developing on sebaceous cyst, 791
Ulcers of leg, associated with sickle cell anemia, in sisters, 1006
Varicelliform eruption of Kaposi (regressing), 792
Schwarzschild, L.: Leprosy, case for diagnosis, 461
Scleredema: See Scleroderma
Sclerodactylia: See Scleroderma
Scleroderma, 306
and hypertrichosis in child, 473
case clinically resembling morphea with tuberculous background and indeterminate history suggestive of necrobiosis lipoidica, 82
case for diagnosis, 492
healed, case for diagnosis, 482
lipophagic granuloma and sclerema neonatorum, 639
lupus erythematosus or Raynaud's disease, 492
macular atrophy with hyperpigmentation (superficial scleroderma?), 832
Scleroderma—Continued
morphea, 649, 982
morphea (unilateral distribution), 305
or poikiloderma, 140
progressive, associated with stricture of esophagus and rectum; improvement after cervical sympathectomy, 975
scleredema adultorum (Buschke), 159, *210, 305
scleredema adultorum (Buschke) with involvement of muscles in 11 year old boy, 634
sclerodactylia following injury, 976
scleroderma-like lesions on legs (poikiloderma?), 286
vegetative nervous system in, 256
with calcinosis (Thibierge-Weissenbach syndrome), 440
Scleroma: See Rhinoscleroma
Sclerosis, adenoma sebaceum and its role in neurocutaneous syndrome; tuberous sclerosis and its relationship to Recklinghausen's disease, 964
tuberous; Bourneville-Pringle's disease, 314
tuberous; Bourneville-Pringle's disease in patient whose right eye was enucleated because of intraocular tumor, 813
Scrofuloderma: See under Tuberculosis
Scrotum, lymphangiectasis associated with naevus flammeus and lymphangioma of scrotum and thigh, 982
study of fatal cases of cancer of scrotum from 1911 to 1935 in relation to occupation with reference to chimney sweeping and cotton mule spinning, 781
Sebaceous Glands, adenoma sebaceum, 100
adenoma sebaceum and its role in neurocutaneous syndrome; tuberous sclerosis and its relationship to Recklinghausen's disease, 964
adenoma sebaceum in epileptic moron, 147
adenoma sebaceum (Pringle type), associated with Recklinghausen's disease, 669
multiple benign cystic epithelioma or adenoma sebaceum in mother and daughter, 2 cases for diagnosis, 986
squamous cell epithelioma developing on sebaceous cyst, 791
steatocystoma multiplex congenitale; 10 cases in 3 generations, *877
Seborrhea, acne on seborrheic background (acnitis?), 987
seborrheic eczema, case for diagnosis, 508
seborrheic keratoses (carotenoid pigmentation?), 123
Senear, F. E.: Calcification in scar tissue, 267
Multiple idiopathic hemorrhagic sarcoma (Kaposi), 277
Mycosis fungoides, case for diagnosis, 285
Septum, Interventricular: See Heart
Sex, treatment of sexual undervelopment with synthetic male hormone substance, 638
Shaffer, B.: Epithelioma or tuberculosis cutis, case for diagnosis, 981
Liquefying nodular panniculitis; report of case, *535
Recurrent furunculoid lesions of adipose tissue, case for diagnosis, 153
Tinea capitis with trichophytid, 984
Shaffer, L. W.: Case for diagnosis, 316
Cervical adenitis and erythema induratum, 296
Lichen scrofulosorum, 297
Lymphogranuloma venereum especially its treatment with sulfanilamide, *705
Parapsoriasis lichenoides et varioliformis, case for diagnosis, 815
Rosacea-like tuberculid of Lewandowsky, 297
Sharlit, H.: Routine patch tests, *951
Shaving; factors involved in satisfactory shaving, 80

Shellow, H.: Mycosis fungoides, case for diagnosis, 285

Shoes, Dye: See Dyes

Short Waves: See under names of organs and regions

Silver, H.: Unusual cutaneous manifestations in psychopathic patient (malingering?), 505

Silver: See also Stains and Staining
argyria, 302
argyria confined to bulbar conjunctivas, 654
argyria, lupus erythematosus of scalp and essential shriveling of conjunctiva (ocular pemphigus) with involvement of all mucous membranes, 151
argyria under treatment, 276
blue nevus or argyria, 302
localized argyria following treatment of burn with tannic acid and silver nitrate, 645

Skeer, J.: Xanthomatosis (generalized); hepatomegaly associated with jaundice; tertiary syphilis, 468

Skin, Abnormalities: See also Atrophy; Ectodermal defect; Pigmentation; etc.
abnormalities; case of "cutis laxa ipo-elastica," 257
Atrophy: See Atrophy
Blood Supply: See also Capillaries
blood supply; progressive cutaneous vascular disease with hemorrhage by diapedesis, 460
Cancer: See Cancer; Epithelioma; Sarcoma; etc.
cutaneous horn in Negro, 1007
cutaneous manifestations of tularemia, *859
cutis elastica abnormally sensitive to trauma, 498
cutis hyperelastica, 828
Diseases: See also Dermatitis; and under names of diseases, as Eczema; Herpes; Mycosis, cutaneous; etc.; and under names of plants and drugs, as Arsphenamines; Rhus; etc.
diseases; cutaneous manifestations of myelogenous leukemia, 641
diseases; dermatologic manifestations of lymphoblastoma-leukemia group, 783
diseases; dermatologic symptoms of vitamin deficiencies, *389
diseases; exudative discoid and lichenoid dermatosis, 154
diseases, incidence in feebleminded persons, *203
diseases; infiltrated scaling plaques of legs, thighs, elbows and knees, followed by atrophy, case for diagnosis, 1002
diseases; monocytic leukemia; cutaneous manifestations of Naegeli and Schilling types; hemocytologic differentiation, 80
diseases; neurocutaneous syndrome, 152
diseases; Paget-like disease of circumanal skin and carcinoma of rectum, 811
diseases; psychological aspects of, 959
diseases; relation between assimilation of water and dermatoses on basis of tests of water excretion in psoriasis, eczema and few other dermatoses (diuretic index), 258
diseases; report on helminthiasis and dermatoses, 642
diseases; significance of porphyrin content of urine in dermatoses associated with sensitivity to light, *727
diseases; "skin prints" (simple technic for following individual lesions in chronic skin diseases such as psoriasis), 787
gangrene; dermatitis gangraenosa infantum, *407
Hemorrhage: See Purpura
Inflammation: See Dermatitis
influence of glycerol on skin necrosis produced by staphylococcus toxin, 959
investigation on resorption of substances by skin and mucous membranes, 962
mucous gland tumors of, *52
Pigmentation: See under Pigmentation

Skin—Continued
prognostic significance of cutaneous lesions in coccidioidal granuloma, *752
results of experimental investigation on cutaneous storage of dyes, 445
sarcoidosis (Besnier-Boeck-Schaumann syndrome) involving skin, lymph nodes, bones and tendon sheaths, 457
Syphilis: See Syphilids
Tuberculosis: See Tuberculids; Tuberculosis
Tumors: See under Tumors
Ulcers: See Ulcers
unusual cutaneous manifestations in psychopathic patient (malingering?), 505

Slepyan, A.: Lupus erythematosus disseminatus subacutus with phlyctenular keratoconjunctivitis, 831
Pemphigus, 273

Smallpox, pustulosis varioliformis seu vacciniformis acuta, 259
vaccination; lymph nodes as source of neutralizing principle for vaccinia, 81
vaccination; parallergic vaccinal exanthem, 258

Smith, D. C.: Cutaneous manifestations of tularemia, *859

Smith, H. J.: Scleredema adultorum (Buschke), 159

Smith, L. M.: Dermatitis caused by Mexican rubber plant, *730

Snake Venom: See Venom

Sobel, N.: Fox-Fordyce disease, 469
Pityriasis rosea with vesicles, including face, 466

Sobisminol: See under Syphilis

Societies, American Academy of Dermatology and Syphilology, annual meeting, 624, 954
American Board of Dermatology and Syphilology, certification by, 77, 624
dermatologic, directory of, 325, 675, 1017
foreign, directory of, 325, 675, 1017
international, directory of, 325, 675, 1017
local, directory of, 327, 677, 1019
national, directory of, 325, 675, 1017
sectional, directory of, 326, 676, 1018
state, directory of, 326, 676, 1018

Society Transactions:

Atlantic Dermatologic Conference, 142
Bronx Dermatological Society, 115, 504, 664
Central States Dermatological Association in connection with organization of American Academy of Dermatology and Syphilology, 292
Chicago Dermatological Society, 266, 827
Cleveland Dermatological Society, 130, 791, 1006
Detroit Dermatological Society, 317, 804
Los Angeles Dermatological Society, 482, 644
Manhattan Dermatologic Society, 106, 652
Minnesota Dermatological Society, 478, 648
New York Academy of Medicine, Section of Dermatology and Syphilis, 447, 816
New York Dermatological Society, 87, 797, 965
Philadelphia Dermatological Society, 155, 261, 981
San Francisco and Los Angeles Dermatological Societies, 486
San Francisco Dermatological Society, 136, 996

Sodium Bismuth Iodide: See Bismuth and Bismuth Compounds

Spectacles: See Glasses

Spiegel, L.: Discoloration of cheeks and neck, case for diagnosis, 115
Lichen planus; secondary syphilis, 470, 509
Seborrheic keratoses (carotenoid pigmentation?), 123

Spinal Fluid: See Cerebrospinal Fluid

Spiradenoma, 90
Spirochaeta, clinical application of stain for spirochetes (Krajian), *217
pallida, reliable method of staining in smears, *427
Splenomegaly, hypercholesteremic, with xanthomatosis and dermatitis herpetiformis, 145
Sporotrichosis, 313
disseminated subcutaneous type, 131
Stains and Staining, clinical application of stain for spirochetes (Krajian), *217
new method of staining skin and hairs for detection of fungi, 788
reliable method of staining Spirochaeta pallida in smears, *427
subsurface mycelium and dyes; their significance in mycologic studies, *235
Staphylococci, influence of glycerol on skin necrosis produced by staphylococcus toxin, 959
staphylococcic endocarditis superimposed on syphilitic aortic endocarditis, 785
toxoid as mode of treatment, 260
Steatocystoma multiplex congenitale; 10 cases in 3 generations, *877
Stiles, F.: Argyria, 302
Stillians, A. W.: Argyria under treatment, 276
Parapsoriasis guttata with leukoderma, 270
Stokes, J. H.: Tabes dorsalis; cooperative clinical studies in treatment of syphilis, *692
Stomatitis and dermatitis from mercury of amalgam fillings, *349
Strain, W. H.: Significance of porphyrin content of urine in dermatoses associated with sensitivity to light, *727
Strauss, A.: Keratosis pilaris, possible prelude to pityriasis rubra pilaris, 154
Streptococci: See also Erysipelas; Scarlet Fever
annular erythema and streptococcemia in course of Bouillaud's disease, 442
mixed infection, treated with zinc peroxide, 94
pyogenes, varicella gangrenosa due to, 442
streptococcic dermatoses, 443
Striae hypertrophicae symmetricae juvenilis, 261
Stulik, C. K.: Dermatitis gangraenosa infantum, *407
Sudoriparous Glands: See under Sweat Glands
Sulfanilamide and Sulfanilamide Derivatives; dermatitis from sulfanilamide, 639
development of cutaneous eruption (toxicodermatosis) during administration of sulfanilamide; report of 2 cases, 639
hypersensitivity to sulfanilamide, 784
photosensitizing agent of skin, 784
purpuric and scarlatiniform eruption following sulfanilamide, 784
rash, 638
skin eruptions in patients receiving sulfanilamide, 638
Therapy: See under Chancroid; Lupus erythematosus; Lymphogranuloma Venereum; etc.
Sulzberger, M. B.: Acanthosis nigricans or papillomatose réticulée (Gougerot), 666
Acne varioliformis, successfully treated with staphylococcus toxoid, 122
Cheilitis (lipstick?), 118
Generalized moniliasis and moniliids, 124
Incontinentia pigmenti (Bloch-Sulzberger); report of additional case with comment on possible relation to new syndrome of familial and congenital anomalies, *57
Sunburn: See Light, toxicity
Sunlight: See under Light
Suprarenals: See Adrenals
Sutton, R. L., Jr.: Case of inherited ainhum-like hyperkeratosis, *26
Sutton's Disease: See Vitiligo
Sweat Glands, active; method for their study, *340
hereditary ectodermal dysplasia of anhidrotic type (congenital ectodermal defect), *893
human autonomic pharmacology; general and local sweating produced by acetyl-beta-methylcholine chloride (mecholyl), 438
spiradenoma, 90
sudoriparous glands; apocrine glands, *373
syringocystadenoma multiplex, 809
syringocystoma, 455
syringofibroangioma originally presented as traumatic fibroangioma with localized hyperhidrosis, 833
Sweitzer, S. E.: Morphea, 649
Multiple draining periurethral sinuses, case for diagnosis, 648
Superficial circumscribed sarcoid, 650
Sycosis parasitica due to Favotrichophyton album var. singulare, *756
Sympathectomy, progressive scleroderma associated with stricture of esophagus and rectum; improvement after cervical sympathectomy, 975
Syphilids, arsenoresistant psoriasiform syphilid, 653
Syphilis: See also Chancre; Spirochaeta pallida; Syphilids; Venereal Diseases; and under names of organs and regions, as Bones; etc.; and under names of diseases, as Aortitis: Conjunctivitis; etc.
among Arabs in near East; bejel and loath in Iraq and Syria; firjal and latta in Palestine; lagout in Lebanon; abou-laghif and jifar in Trans-Jordan, *837
amyotrophia syphilitica with subcutaneous fibroid nodules, 133
and mycosis fungoides, 995
and unemployment, 82
assembly of laboratory directors and serologists, 77
causative factors in production of Laënnec's cirrhosis with reference to syphilis, 782
chancroid cured with sulfanilamide and lymphogranuloma venereum, 476
clinical application of stain for spirochetes (Krajian), *217
comparison of series of Wassermann and Kline tests with respect to specificity and sensitivity, 787
congenital, in "second" generation, 259
congenital, lymphedema of eyelids and recurrent erysipelas, 814
congenital, mapharsen in treatment of, *943
congenital, value of mapharsen in treatment of, 440
dermatitis medicamentosa (arsphenamine) in patient under treatment for syphilis, 104
divided doses of typhoid H antigen vaccine in treatment of neurosyphilis, 782
epithelioma of lip or ulcerative tertiary syphilis on right buccal mucosa with lingual and buccal leukoplakia, 670
experimental treatment of early syphilis with artificial fever combined with chemotherapy, 783
in relation to prevention of blindness; study of 100,000 case records, 638
inadequate treatment of early syphilis (clinical results in 409 patients), 78
influence of arsphenamine and syphilis on function of reticuloendothelial system and liver; influence of syphilis on function of reticuloendothelial system, 86
iodobismitol in treatment of, 786
Kline flocculation test; its significance and application in obstetric service of Queens General Hospital, *918
latent; case for diagnosis (poikiloderma?), 978
lichen planus accentuated by neoarsphenamine therapy, 153

Syphilis—Continued
linear eruption resembling lichen planus in syphilitic patient with arsenical dermatitis, 659
luetic pseudo-cysticercosis, 641
lymphogranuloma venereum and chancroid, 130
macular atrophy secondary to, 467, 504
New York City plan for combating syphilis, 639
nonspecific therapy in, 443
or mycosis fungoides, 647
postarsphenamine jaundice, 636
present-day status of treatment of neurosyphilis, 785
question of positive fluid in first year of syphilitic infection; incidence, prognosis and therapy, 257
resistant secondary syphilis, 657
secondary, and lichen planus, 470, 509
serodiagnostic tests as performed by 39 state laboratories, 81
seronegative tertiary syphilis or lupus vulgaris, 806
serum cholesterol in, 635
studies in cardiovascular syphilis; influence of treatment of early syphilis on incidence of cardiovascular syphilis, 956
superinfection in man, 643
survey among students at University of Wisconsin, *70
syphilitic epilepsy, 635
syphilitic onychia; report of case in which ungual changes helped to establish diagnosis and time of syphilitic infection, *432
tabes dorsalis; cooperative clinical studies in treatment of syphilis, *692
tertiary, 157
tertiary, extensive, 279
tertiary, with unusually extensive involvement, 1011
tertiary; xanthomatosis (generalized); hepatomegaly associated with jaundice, 468
third generation syphilis, 785
Treatment: See also Arsphenamines; Bismuth and Bismuth Compounds; etc.
treatment-resistant primary syphilis, 1000
treatment with hyperpyrexia with observations on prognosis of optic atrophy, 956
tryparsamide therapy of neurosyphilis and atrophy of optic nerve, 786
visceral pathology in Haitian treponematosis, 637

Syphiloderm, late, resembling erythema annulare centrifugum, 279

Syringocystadenoma multiplex, 809

Syringocystoma, 455

Syringofibroangioma originally presented as traumatic fibroangioma with localized hyperhidrosis, 833

Syringoma, calcified, 259

Syringomyelia with malum perforans in brothers, 142

Tabes Dorsalis, cooperative clinical studies in treatment of syphilis, *692

Tachycardia: See under Heart

Tannin, compound solution of tannic acid, 81

Tattoo, chronic inflammation in tattoo mark, 481

Taussig, L. R.: Pemphigus or erythema multiforme, 1005
Scleroderma, lupus erythematosus or Raynaud's disease, 492

Teeth, dermatitis and stomatitis from mercury of amalgam fillings, *349
self cleansing of mouth, 260

Telangiectasis: See also Angioma
erythema palmare as part of generalized telangiectasis during pregnancy, 836
hereditary hemorrhagic, 997

Telangiectasis—Continued
hereditary hemorrhagic telangiectasia (Osler), 498
telangiectatic lupus erythematosus, 265

Templeton, H. J.: Erythroderma with stiffness and induration of deeper tissues, case for diagnosis, 1001
Hereditary hemorrhagic telangiectasia (Osler), 498
Lupus erythematosus, 503
Pemphigus vulgaris, 486
Scleroderma, case for diagnosis, 492

Tendons, sarcoidosis (Besnier-Boeck-Schaumann syndrome) involving skin, lymph nodes, bones and tendon sheaths, 457

Testicles, experimental investigation of toxic substances in skin affected with dermatitis; influence of extract of skin affected with dermatitis on histologic picture of liver, kidney and testis, 790

Thibierge-Weissenbach Syndrome: See Calcification

Thigh, lymphangiectasis associated with naevus flammeus and lymphangioma of scrotum and thigh, 982

Thiobismol: See Bismuth and Bismuth Compounds

Thomas, C. C.: Acne on seborrheic background (acnitis?), 987
Radiodermatitis following treatment for hypertrichosis, 991

Thrombocytopenia: See Purpura

Thymol: See under Actinomycosis

Tinea: See also Ringworm; Trichophytosis
amiantacea, 807
barbae, case for diagnosis, 661
capitis with trichophytid, 984
Decalvans: See Alopecia areata
favosa; favus (familial infection), 144
favosa; favus involving toe nail; report of case, *856
glabrosa; dermatophytosis, 109
versicolor; pityriasis versicolor involving inguinal region and genitocrural folds, *249
versicolor; treatment of epidermomycoses (trichophytosis, pityriasis versicolor) with eosin, 790

Tissue: See Cells

Tobin, W. W.: Cutis hyperelastica, 828
Lichen nitidus, case for diagnosis, 834
Melanoma, 288
Xanthoma multiplex, 267

Toe Nails: See Nails

Toes: See Fingers and Toes

Tolmach, J. A.: Treatment of dermatophytosis with vaccines, *925

Tomlinson, C. C.: Juvenile pemphigus; effects of germanin in 3 cases, *555

Tongue, epithelioma of, case for diagnosis, 290
epithelioma of lip or ulcerative tertiary syphilis on right buccal mucosa with lingual and buccal leukoplakia, 670
inflammation; glossitis rhombica mediana or lingual fibroma, 161

Torch Oil: See Petroleum Products

Torpin, R.: Extragenital granuloma inguinale, *358

Torrey, F.: Cushing's syndrome (basophilic adenoma of pituitary gland), 490
Cushing's syndrome (early), 491
Fixed eruption (phenolphthalein), 999
Infiltrated scaling plaques of legs, thighs, elbows and knees, followed by atrophy, case for diagnosis, 1002
Tuberculid, 1004
Tuberculosis verrucosa cutis, case for diagnosis, 501

Torula infection of central nervous system, 79

Toxicodermas: See Dermatitis, venenata; Drugs, eruptions

Traub, E. F.: Dermatitis and stomatitis from mercury of amalgam fillings, *349
Dermatitis herpetiformis; cancer of pancreas, 974
Dermatitis medicamentosa (arsphenamine) in patient under treatment for syphilis, 104
Livedo reticularis in 2 sisters, 801
Lupus erythematosus, case for diagnosis, 967
Lupus miliaris disseminatus faciei, 979
Mixed infection, treated with zinc peroxide, 94
Multiple epitheliomas, 977
Mycosis fungoides, 465
Pemphigus, 976
Pityriasis lichenoides et varioliformis acuta, 979
Poikiloderma; case for diagnosis; latent syphilis, 978
Report on case of dermatitis herpetiformis, 803
Report on case of possible lupus erythematosus, 803
Treatment of dermatophytosis with vaccines, *925

Trauma, sclerodactylia following injury, 976

Treponema: See Spirochaeta pallida

Treponematosis: See Frambesia; Syphilis

Trichomoniasis, arsenical dermatitis produced in treatment of trichomonas vaginitis; report of 5 cases, *198

Trichophytid: See Trichophytosis

Trichophytin test; its value as diagnostic aid, *713

Trichophyton purpureum, dermatophytosis (hands, feet and toe nails) due to, 646
sycosis parasitica due to Favotrichophyton album var. singulare, *756

Trichophytosis: See also Mycosis
superficial, of scalp in adults, 84
tinea capitis with trichophytid, 984
treatment of epidermomycoses (trichophytosis, pityriasis versicolor) with eosin, 790

Trichostasis: See under Hair

Tryparsamide, nitritoid reaction following injection of, *949
therapy of neurosyphilis and atrophy of optic nerve, 786

Tuberculids, 1004. See also under Tuberculosis
case for diagnosis, 658
grouped nodular tuberculids (Jadassohn), 293
papulonecrotic, 986
papulonecrotic, sarcoid of Boeck and lichen scrofulosorum, 447
rosacea-like, of Lewandowsky? 264, 272, 297
rosacea-like, of Lewandowsky (following sunburn); xanthelasma, 455
sarcoid with lesions on arms resembling papulonecrotic tuberculid, 297
tuberculosis of skin or atypical papulonecrotic tuberculid, 969

Tuberculin: See under Tuberculosis

Tuberculosis: See also under Face; etc.
case clinically resembling morphea with tuberculous background and indeterminate histology suggestive of necrobiosis lipoidica, 82
case for diagnosis, 293
cutis, 138, 296
cutis or epithelioma, 981
cutis (scrofuloderma, sarcoid and lichen scrofulosorum), 272
diagnostic and therapeutic use of tuberculin in certain acneform eruptions, *737
disseminate, of face (mixed type), 810
disseminated hematogenous, of lupus tumidus type, 292
distinctive type, in Negress, 148

Tuberculosis—Continued
erythema nodosum as evidence of increased allergy to tuberculin; its appearance following tuberculin reactions, 442
experimental study of protective inoculation with heat killed tubercle bacilli, 786
of nodes, bones and epididymis, and periarteritis (tuberculous?), 651
of skin or atypical papulonecrotic tuberculid, 969
of skin or capillaritis, 1009
psoriasis associated with cutaneous tuberculosis? 155
results of treatment of eczema in infants with BCG, 442
scrofuloderma or secondary radiodermatitis, 452
serologic diagnosis of tuberculosis, particularly of lupus, 257
tuberculin skin sensitivity in chronic tuberculosis in course of hospital treatment; measurement by standard tuberculin (purified protein derivative), 439
tuberculous abscesses, 799
tuberculous chancre, 646
verrucosa cutis, case for diagnosis, 501

Tularemia, cause of death in, 79
cutaneous manifestations of, *859

Tulipan, L.: Cosmetic irritants, *906

Tumors: See also Adenoma; Angioma; Cancer; Endothelioma; Epithelioma; Fibroma; Leiomyoma; Lymphangioma; Lymphoblastoma; Lymphoma; Melanoma; Papilloma; Sarcoma; etc.; and under names of organs and regions, as Lips; Penis; Scrotum; etc.
action of short radio waves on tissues; treatment of animal tissues in vivo, 78
cutaneous metastases of malignant disease, 438
giant cell tumor of epulis type, 794
glomal, 957
glomus tumor, case for diagnosis, 108
multinucleated (giant) cell tumor of gum (epulis), *603
time factor in irradiation of malignant tumors, 957

Turnacliff, D. D.: Tuberculosis (nodes, bones and epididymis); periarteritis (tuberculous?), 651

Twining, H. E.: Acrodermatitis chronica atrophicans, 991
Case for diagnosis, 994

Typhoid, experiments in immunization by application of typhoid vaccine to scarified cutaneous surfaces (Jennerization), 962

Ulcers, chancroidal, of long duration cured with sulfanilamide, 660
of leg, associated with sickle cell anemia, in sisters, 1006
radiodermatitis with ulcers, 798
trophic; peripheral neuritis; calcification of ears, 987

Ulerythema acneiforme, 292

Ultrashort Waves: See under names of organs, regions and diseases, as Tumors; etc.

Ultraviolet Rays: See also Light
lupus erythematosus discoides with spread of lesions after ultraviolet irradiation, 114

Umansky, M.: Disseminated superficial lupus erythematosus, case for diagnosis, 127
Granuloma annulare or sarcoidosis, 128

Unemployment and syphilis, 82

Urination; pruritus (generalized); enlarged prostate; urinary retention, 282

Urine: See also Urination
Androgens: See Androgens
clinical excretion of bismuth; late excretion of bismuth after cessation of treatment, 440

Urine—Continued
clinical excretion of bismuth; urinary excretion of bismuth after clinical intramuscular injections of sodium iodobismuthite (sodium bismuth iodide, iodobismitol) and sodium bismuth thioglycollate (thiobismol), 439
determination of ascorbic acid in urine of patients with lupus vulgaris by methylene blue method, 258
electrolytes of blood and urine of dogs with acute hepatic injury produced by arsphenamine, 635
Estrogens: See Estrogens
significance of porphyrin content of urine in dermatoses associated with sensitivity to light, *727
suppression; toxic effects of bismuth with reference to renal damage and report of case of anuria, 957
Urticaria, new immunologic wheal produced experimentally by reverse technic, *1
papulosa; lichen urticatus (papular urticaria); treatment with parathyroid extract; theoretical consideration of etiology, 253
pigmentosa beginning at age of 7 years, 797
provoked by heat or by psychic stimuli, *679
Usilton, L. J.: Tabes dorsalis; cooperative clinical studies in treatment of syphilis, *692
Uvula, submucous hemorrhage of uvula with necrosis, following ingestion of acetylsalicylic acid, 288

Vaccines: See Mycosis, cutaneous
Vaccinia: See Smallpox, vaccination
Van Rhee, G.: Calcinosis circumscripta, 307
Case for diagnosis, 294, 295, 309
Neurodermatitis disseminata with cataract, 323
Tuberculosis, case for diagnosis, 293
Van Studdiford, M. T.: Diagnostic and therapeutic use of tuberculin in certain acneform eruptions, *737
Varicella: See Chickenpox
Variola: See Smallpox
Venereal Diseases: See also Chancre; Chancroid; Syphilis
syphilis looks at doctor, 958
Venom, treatment of herpes simplex with moccasin venom, *599
Vero, F.: Scrofuloderma or secondary radiodermatitis, 452
Verruca plana juvenilis or naevus unilateralis, 996
Vesication, pityriasis rosea with vesicles, including face, 466
Viecelli, J. D.: Cutis elastica abnormally sensitive to trauma, 498
Virilism, loss of hair as symptom of masculinization in woman, 444
Viruses, contribution to virus origin of pemphigus vulgaris, 960
investigation of virus diseases of skin with report of case of Kaposi's varicelliform eruption, 789
Viscera; visceral pathology in Haitian treponematosis, 637
visceral pathology in measles; clinico-pathologic study of 100 fatal cases, 79
Vitamins: See also Deficiency Diseases; etc.
B; unusual eruption suggestive of vitamin B_2 deficiency, cured by injections of liver extract, 450
C; determination of ascorbic acid in urine of patients with lupus vulgaris by methylene blue method, 258
Vitamins—Continued
C; experimental arsphenamine dermatitis; influence of vitamin C in production of arsphenamine sensitiveness, 254
dermatologic symptoms of vitamin deficiencies, *389
Vitiligo: See also Albinism
alopecia universalis and leukoderma acquisitum centrifugum, 263
and exfoliative dermatitis (gold?), 264
leukoderma acquisitum centrifugum in association with lichen planus, *200
leukoderma centrifugum acquisitum of Sutton, 455
parapsoriasis guttata with leukoderma, 270
Vonderlehr, R. A.: Tabes dorsalis; cooperative clinical studies in treatment of syphilis, *692
Vulva, granuloma inguinale; report of case of involvement of upper lip and depigmentation and edema of vulva, *245
primary focus of tuberculosis in, 964
ulcus vulvae acutum with ulcers in mouth, 643

Walker, H. L.: Contact and environmental allergens as cause of eczema in infants and in children, *511
Walzer, A.: Urticaria; new immunologic wheal produced experimentally by reverse technic, *1
Wander, W. G.: Case for diagnosis, 309
Warren, L. H.: Lymphogranuloma venereum, 158, 262
Warts: See Verruca
Washburn, J. C.: "Acne mixed" undenatured bacterial antigen in treatment of acne vulgaris, *405
Wassermann Reaction: See under Syphilis
Water, relation between assimilation of water and dermatoses on basis of tests of water excretion in psoriasis, eczema and few other dermatoses (diuretic index), 258
Way, S. C.: Actinomycosis, 139
Fox-Fordyce disease, 140
Sarcoid of Boeck, 142
Sudoriparous glands; apocrine glands, *373
Weber-Christian's Disease: See Panniculitis
Weber-Rendu-Osler's Disease: See Telangiectasis
Webster, J. R.: Bromoderma, 278
Weidman, F. D.: Sarcoma in dog treated with roentgen radiation, 160
Weil's Disease: See Jaundice, spirochetal
Weissenbach-Thibierge Syndrome: See Calcification
White, C. J.: Addison's disease or chloasma, 289
Whitehouse, Henry Howard, 631
Wile, U. J.: Mycosis fungoides in mother and in daughter; further report, *939
Necrobiosis without diabetes, 311
Scleredema adultorum (Buschke), 305
Tabes dorsalis; cooperative clinical studies in treatment of syphilis, *692
Williams, J. W.: Production of surface growth of pathogenic fungi on culture mediums; some factors of importance, *32
Subsurface mycelium and dyes; their significance in mycologic studies, *235
Wilson, M., Jr.: Incidence of diseases of skin in feebleminded persons, *203
Wise, F.: Angiosarcoma of hand and arm, 659
Buccal and labial lupus erythematosus or pemphigus, 663
Discoid lupus erythematosus undergoing dissemination, 661

Wise, F.—Continued
Disseminated lupus erythematosus treated with sodium gold thiosulfate, 973
Eczema diffusum resembling mycosis fungoides, 652
Lichen nitidus, 979
Lichen ruber moniliformis; report of observations at necropsy, *251
Tuberculid, case for diagnosis, 658

Wolf, C.: Lupus erythematosus, 510
Mucous cysts of mucous membrane of hard palate, 466

Wolfe, W. D.: Dermatitis due to shoe leather and to shoe polish, *434
Hereditary ectodermal dysplasia of anhidrotic type (congenital ectodermal defect), *893

Wolff, M. J.: Tuberculous chancre, 646

Wollenberg, R. A. C.: Lupus erythematosus disseminatus, 295

Work, J. L.: Sycosis parasitica due to Favotrichophyton album var. singulare, *756

Workmen's Compensation Act and dermatitis, 640

Wright, C. S.: Exudative discoid and lichenoid dermatosis, 154
Neurogenic sarcoma, 263
Vitiligo; exfoliative dermatitis (gold?), 264
Xanthelasmatosis, associated with hepatic enlargement of undetermined nature, 261

Xanthelasma: See Xanthoma

Xanthoma diabeticorum, 267
diabeticorum, case associated with diabetes mellitus and acromegaly, 782

Xanthoma—Continued
generalized xanthomatosis; hepatomegaly associated with jaundice; tertiary syphilis, 468
hypercholesteremic splenomegaly with xanthomatosis and dermatitis herpetiformis, 145
juvenile, 267
multiplex, 267
rosacea-like tuberculid of Lewandowsky (following sunburn); xanthelasma, 455
tuberosum associated with trauma and mild diabetes mellitus, 81
tuberosum, extensive, in childhood due to infectious cirrhosis of liver, 253
xanthelasma, 495
xanthelasmatosis associated with hepatic enlargement of undetermined nature, 261

Xanthomatosis: See Xanthoma

Xeroderma pigmentosum with carcinoma of lower lip in 2 brothers, aged 16 and 13 years, 78

Yaws: See Frambesia

Yeast: See under Fungi

Zeisler, E. P.: Melanosis (postinflammatory), 274
Pyogenic lesions of skin associated with chronic ulcerative colitis, 829
Rosacea-like tuberculid of Lewandowsky, case for diagnosis, 272

Zoster: See Herpes zoster

Zwick, K. G.: Jean Darier, 625